



› experience › passion › brilliance › excellence



stonelighting.net



Stone Lighting › Catalog 40



Welcome to Stone Lighting

This Catalog formally announces the return of the Stone Family to the industry that has long been part of our lives. We are very proud to again introduce ourselves with our loyal and valued employees to the lighting industry we love.

Our history in lighting began in 1950 when our family patriarch, Jack R. Stone, founded House-O-Lite Corporation. In 1971, his son, Ron Stone, incorporated LBL Lighting which rose to become one of the leaders in contemporary design in the lighting industry.

We again pledge total support to our customers, and now proudly present to you a look at what our new company, Stone Lighting, is all about. Our offering ranges from exciting new crystal designs to Murano organic glass creations and are composed of innovative designs that have inspired our industry for many years.

Our latest portfolio of luminaires is sure to impress you. We have combined a flair for originality with creativity and unique cutting edge designs. You will also find the best in low voltage lighting systems in our newest generation of monorail and cable lighting.

We are excited to be in the forefront of LED innovation incorporated into many luminaires in our new collections. Additionally, we are particularly proud of the cleanest and best quality finishes to date. Our exterior fixtures in traditional and contemporary designs are available in stainless steel, die-cast brass and aluminum all consisting of a wide range of lamping choices, including LED.

Most importantly, we believe you will enjoy working again with the Stone Family as we are reunited with our friends industry wide. We are all working very hard to rebuild your trust in our new company upon which you can depend.

This is where it all begins again.





How to Buy Stone Lighting Products
Just visit: stonelighting.net
you will find information such as:
Sales Representatives, Showrooms,
on-line Catalog and more.




Light fixtures and lighting systems by Stone Lighting bear the ETL mark, giving assurance that the products are compliant with safety standards, having been tested and certified by Intertek, a nationally recognized testing laboratory.



PRODUCT SECTIONS



Punto Zero Lighting
Pages 4-17



Monorail
Pages 18-37



Wall Monorail
Pages 38-49




Cable Light
Pages 50-61



Ez Jack
Pages 62-69



Low Voltage Swivel Heads
Pages 70-91



Low Voltage Pendants
Pages 92-157



Chandeliers
Pages 158-175



Wall Collection
Pages 176-217




Bath Collection
Pages 218-225



Line Voltage Suspension
Pages 226-239



Ceiling Collection
Pages 240-253



Step Lighting
Pages 254-257



Outdoor Lighting
Pages 258-273



LED Flexible Strip Lighting
Pages 274-284



Punto Zero

A perfect combination of appearance and technical sophistication using metal and glass turned into Light. Punto Zero design furnishes the room area in a discreet, precise manner as it illuminates with accuracy and functionality.

With the infinite variations made possible by interchangeable blown glass diffusers in black, white and chrome, and the wide range of optical combinations that can be generated with lenses, filters and glass cover discs, you can create custom groupings that meet your need for light.

Exclusively
offered by:



Shown: (3) PD187LBKFDTR



An Explosion of Technology

On the following page, you enter the heart of your **PUNTO ZERO** illuminating system.

We deliberately made the diffuser transparent to “see things clearly”.

Note the complex, yet light and virtually invisible metal system that disappears and emerges in the tones of the white, chromed and black glass elements.




Suggested Kit Option:

Ordering Code:
WS187LCGDCTR

Chromed Backplate
Chromed Glass
Dichroic Lens
Transparent Lens

There is 360° rotational positioning with every Punto Zero head, therefore there is no up or down position until position is set in the field.





Wall

WS187*

Size

L

S small (4.7" Ø)
L large (6.3" Ø)

Diffuser

CG

CG chromed glass
BK black glass
WH white glass

Lens

DC

DC dichroic
TR transparent
and/or







Disc


FD

FD frosted white
TD transparent clear
RD light reducing

* Supplied with G9 75W Halogen lamp.

EXAMPLES OF POSSIBLE ORDERING COMBINATIONS BELOW:



Pendant
PD187*

Size
L
S small (4.7" Ø)
L large (6.3" Ø)

+ Diffuser
CG
CG chromed glass
BK black glass
WH white glass

+ Lens
DC
DC dichroic
TR transparent
and/or
Disc
FD
FD frosted white
TD transparent clear
RD light reducing

* Supplied with G9 75W Halogen lamp.

EXAMPLES OF POSSIBLE ORDERING COMBINATIONS BELOW:

FD DISC	DC LENS	TD DISC
PD187LBKFDTR	PD187LCGDCTD	PD187LWHTDTD

PUNTO ZERO 360°



Diffuser in clear / chrome blown glass (CG)

Thanks to the special treatment given to the glass, the diffuser offers different effects: when off, it looks like a chromed metal object; when on, the glass suddenly becomes clear and highlights the lamp and the internal metal element. We recommend using clear and/or dichroic lenses and FD glass cover disc.

Diffuser in polished white blown glass (WH)

The treatment given to the glass diffuses the light uniformly to illuminate the environment in a homogeneous way. We recommend using both clear and dichroic lenses and all types of glass discs.

Diffuser in black blown glass (BK)

This special diffuser looks totally black when the light is off. When the light is turned on, you can see the lamp and the metal element radiating an amethyst effect that does not diffuse into the surrounding environment. We recommend using clear lenses and FD glass cover disc.



Clear / chrome blown glass



Polished white blown glass




Black blown glass

Dichroic Technology

Dichroic Lens (DC)



- Creates light effects that resemble an Aurora Borealis.
- The chromatic scale of blue, white, red and green is blended together and overlaps with delicate interplays of light.



Example of the light effects that can be obtained with different light units:

Lens (TR)



- Lens** -The Lens enable you to converge the light at 52° and meet virtually any appearance or functional requirement.
- Discs** - Full light diffusion with disc in a transparent glass and 80% light diffusion with the disc in a glass. Disc TD.
- Light diffusion reduced up to 40%, with Disc RD.
 - Partial light diffusion with Frosted Disc FD. Light diffusion evenly reduced up to 20%.



Punto Zero Four Head Chandelier

Each head has 2x5 watts of LED illumination, total 40 watts.

Push-button field adjustable cables.

CH516CHCOB40




Bella Donna Chandelier

Beautiful hand blown glass with
dichroic coating 50 watts of LED
illumination:
25 watts uplight
25 watts downlight

Push-button field adjustable cables.

CH515CHCOB50



stone
LIGHTING


Monorail

A unique solution to low-voltage monorail lighting. Minimalistic and sleek, our system allows you to design free hand customized straights, angles and curves bent and joined for a simple modular realization of virtually any architectural lighting designers vision.

(3) DA203RDBZM5R

(3) DB200SN01M5R

Shown:
(3) DM202FRSNM5R
Vitrea MX Swivel Heads in Frost



step1

Choose your Rail

It is important to determine what you want to illuminate. Stone Lighting Design Professionals are available to help you create your optimal design. We recommend sketching out your design to help navigate you through this simple system basics guide.


The rail is rated for a maximum of 25 amps: 300 watts at 12 volts or 600 watts at 24 volts.
Every rail is shipped with a set of straight conductive connectors for easy joining to another monorail.



Straight Monorail

Straight monorail is available in 36", 48" or 96" lengths.


- ☐ MSRL36 (BZ-PN-SN)-36" Straight
- ☐ MSRL48 (BZ-PN-SN)-48" Straight
- ☐ MSRL96 (BZ-PN-SN)-96" Straight
- QTY
- QTY
- QTY



Monorail Pre-bent Options

24" Diameter Circle

1/3 Round, Radius 12". Order three pieces to create a 24" diameter circle.




- ☐ MSRLCV24 (BZ-PN-SN)
- QTY

step1

Choose your Rail (Continued)

48" Diameter Circle


1/3 Round, Radius 24". Order three pieces to create a 48" diameter circle.



- ☐ MSRLCV48 (BZ-PN-SN)
- QTY

78" Diameter Soft Curve


1/5 Round, Radius 39". Order five pieces to create a 78" diameter circle.



- ☐ MSRLCV78 (BZ-PN-SN)
- QTY

32" Monorail Spiral


Kit includes:
Custom bent Monorail (5), Straight Conductive Connectors (5) and End Caps (2).
Hangers required (sold separately).



- ☐ MSRLSP32 (BZ-PN-SN)
- QTY

48" Monorail Spiral

Kit includes:
Custom bent Monorail (7), Straight Conductive Connectors (7) and End Caps (2).
Hangers required (sold separately).



- ☐ MSRLSP48 (BZ-PN-SN)
- QTY



Shown:
(4) DF217CRSNM5R
Krypto Focus Swivel in Clear
(1) MSRL96SN
96" Monorail
(3) MSHGADJ2SN
Adjustable Hangers

step 2 Choose your Monorail Connectors

Order connectors for joining rails.

Adjustable Connector
Conductive connectors join sections of rail together allowing subtle to sharp horizontal angles.

☐ MSCNADJ (BZ-PN-SN) QTY



Isolating Connector
Use a pair of isolating connectors to separate one powered run from another.

☐ MSCNISO QTY



Straight Connector
Straight conductive connectors join one powered run to another.

☐ MSCNS (BZ-PN-SN) QTY



L-Connector
Make a perfect 90° angle.

☐ MSCNL (BZ-PN-SN) QTY



step2

Choose your Monorail Connectors (Continued)

T-Connector

Join three conductive sections of rail.
* We recommend a support within 6" of "T".

☐ MSCNT (BZ-PN-SN) QTY ☐



X-Connector

Join four conductive sections of rail to make a 4-way intersection.
* We recommend a support within 6" of "X".

☐ MSCNX (BZ-PN-SN) QTY ☐



End Caps

Decorative metal caps to give finished look to ends of monorail.

☐ MSCAPS (BZ-PN-SN) QTY ☐



step3

Choose your Monorails Supports

Adjustable Cable Hanger

Griplock allows for easy one touch shortening and lengthening of cable in the field. Complete with drywall anchors. Custom lengths available. (Consult factory)

☐ MSCBLADJ6 (BZ-PN-SN)-6ft. QTY ☐
☐ MSCBLADJ12 (BZ-PN-SN)-12ft. QTY ☐
☐ MSCBLADJ25 (BZ-PN-SN)-25ft. QTY ☐



step3

Choose your Monorails Supports (Continued)

Direct Hanger

For the closest to ceiling mounting of rail and cleanest installation. Must be used in conjunction with 2" or 4" Remote Direct Feed Canopy.

☐ MSHG1 (BZ-PN-SN) QTY ☐



* Drywall Anchor included

Adjustable Hanger

Adjustable rigid hangers offer unique telescoping height adjustment. Self-drilling drywall anchor included with all hangers. For mounting on concrete ceilings or walls, order one HRSCWMASO per hanger.

☐ MSHGADJ1 (BZ-PN-SN)-(2.5"-4") QTY ☐
☐ MSHGADJ2 (BZ-PN-SN)-(6"-11") QTY ☐
☐ MSHGADJ3 (BZ-PN-SN)-(12"-23") QTY ☐



step4

Choose your Transformer + Canopy

All Monorail lighting systems require a transformer to convert standard (120 -277) voltage to a safe-to-touch 12 or 24 volts. Monorail can be powered with surface mounted transformers or with remote transformers.

Surface Mounted Transformers

All Surface Mounted Transformers are encased in a finished metal housing and mount to any standard ceiling electrical box. Typically, you use a surface transformer when an accessible location above the ceiling or in a utility closet is unavailable for installing a remote transformer.

Transformer and flexible coaxial feeder cleanly and attractively send power to your system. 28" length is standard for our coaxial feeder. It is easily shortened in the field. Consult factory for longer lengths. Our unique coaxial feeder mimics a solid stem when straight. The braided steel outer jacket and the rail adapter beautifully complement the entire system.

SMT	DESCRIPTION	MODEL NUMBER	INPUT	OUTPUT	DIMMER TYPE
	12V/60W (No Load) Surface Mount LED Transformer Electronic	PWESMT60LED (BZ-PN-SN)	1x120 VAC/.5A	1x60W	Electronic Low Voltage Dimmer or C-L Lutron
		PWESMT60LED277 (BZ-PN-SN)	1x277 VAC/.22A		
	12V/150W Surface Mount Transformer Electronic AC	PWESMT150A (BZ-PN-SN)	1x120 VAC/1.25A	1x150W	Electronic Low Voltage Dimmer 600W or C-L Lutron
	12V/150W Surface Mount Transformer Electronic DC	PWESMT150D (BZ-PN-SN)			
	12V/300W Surface Mount Transformer Electronic AC	PWESMT300A (BZ-PN-SN)	1x120 VAC/2.5A	1x300W	Electronic Low Voltage Dimmer 600W or C-L Lutron
	12V/300W Surface Mount Transformer Electronic DC	PWESMT300D (BZ-PN-SN)			
	12V/150W Surface Mount Transformer Magnetic	PWMSMT150 (BZ-PN-SN)	1x120 VAC/1.25A	1x150W	Magnetic Low Voltage Dimmer 600W or C-L Lutron
	12V/300W Surface Mount Transformer Magnetic	PWMSMT300 (BZ-PN-SN)	1x120 VAC/2.5A	1x300W	Magnetic Low Voltage Dimmer 600W or C-L Lutron
		PWMSMT300277 (BZ-PN-SN)	1x277 VAC/1.1A		
	12V/600W Surface Mount Transformer Magnetic	PWMSMT600 (BZ-PN-SN)	1x120 VAC/5A	2x300W	Magnetic Low Voltage Dimmer 1000W or C-L Lutron

 Will work with LED or Halogen

step4

Choose your Transformer + Canopy (Continued)

Mini Surface Mounted Direct Feed Transformer *



* Mounts to ceiling with Adjustable Hanger MSHGADJ1. See page 29

MINI SMT*	DESCRIPTION	DIMENSIONS ODxH (in)	MODEL NUMBER	DIMMER TYPE
	100W 120VAC No Load Output 12VAC 8.33Amp LED COMPATIBLE UL2108/UL8750 Short circuit and thermal protection Maximum distance of lighting system 50 feet * 277V available upon request	5" O.D.x1.5"	PWESMT100MINI (SN)	ELV Incandescent or C-L Lutron LED Dimmer
	300W 120VAC Output 12VAC 25Amp HALOGEN UL2108 Short circuit and thermal protection Maximum distance of lighting system 30 feet * 277V available upon request	5" O.D.x1.5"	PWESMT300MINI (SN)	ELV Incandescent or C-L Lutron LED Dimmer

Specifications

- Low profile with close to ceiling Monorail installations.
- Fully dimmable 120VAC 100W 12VAC NO LOAD halogen/LED and 300W 12VAC halogen transformers.
- ETL rated to UL2108 and UL8750 approvals.
- Quick, safe and easy installation. Mount to any standard junction boxes.
- No visible mounting screws, clean sleek appearance.
- Specifically designed with long life performance.
- Automatic short circuit, overload and thermal protection.
- 100W NO LOAD LED can operate upto 50ft distance.
- 300W halogen can operate upto 30ft distance.

step
4

Choose your Transformer + Canopy (Continued)

Remote Transformers

All Remote Transformers are encased in metal housings complete with mounting feet and conduit knockouts. Typically, you use a remote transformer when a cleaner installation appearance is desired. A remote transformer must be installed in an accessible remote location, the bulkier ceiling mounted surface transformer is replaced by a power feed canopy with flexible coaxial power feed cable or direct-feed connector.

REMOTE TRANSFORMER	DESCRIPTION	DIMENSIONS LxWxH (in)	MODEL NUMBER	DIMMER TYPE
	Remote Electronic 60W 120V 0.50Amp Output 12VDC 5Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	8.15"x2"x1.70"	PWERM60D	ELV Incandescent or C-L Lutron Dimmer
	Remote Magnetic 60W 120V/240V/277V 0.50Amp Dual Output 12VAC and 12VDC 5Amp LED COMPATIBLE UL2108 Short circuit and thermal protection	10"x3.11"x2.95"	PWMRM60	LVM or C-L Lutron Dimmer
	Remote Electronic 150W 120V 1.25Amp Output 12VDC 12.5Amp UL2108 Short circuit and thermal protection	8.15"x2"x1.70"	PWERM150D	ELV Incandescent or C-L Lutron Dimmer
	Remote Electronic 300W 120V 2.5Amp Output 12VDC 25Amp UL2108 Short circuit and thermal protection	9.95"x3.38"x1.90"	PWERM300D	ELV Incandescent or C-L Lutron Dimmer
	Remote Magnetic 150W 120V 1.25Amp Multitap Output 12V, 13V, 14V, 15V 12.5Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	8.75"x4.33"x3.82"	PWMRM150	LVM or C-L Lutron Dimmer
	Remote Magnetic 300W 120V 2.5Amp Multitap Output 12V, 13V, 14V, 15V 25Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	8.75"x4.33"x3.82"	PWMRM300	LVM or C-L Lutron Dimmer
	Remote Magnetic 600W 120V 5Amp Dual Multitap Output 12V, 13V, 14V, 15V dual 25Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	9.52"x5.31"x4.84"	PWMRM600	LVM or C-L Lutron Dimmer

All Remote Transformers must be accompanied by a Remote Canopy. The Remote Canopy covers the ceiling/wall electrical box and is equipped with a 28" flexible coaxial power feeder.

How to calculate your wattage needs

2.75" and 4" remote canopies are available for ceiling and wall remote transformer applications. To find which is right for your system, add up the total wattage of the pendants or heads you'll be using (the number of pendants or heads x the total lamp wattage per fixture = total wattage). A combination of wattages may be chosen as long as the maximum wattage allowed by the transformer is not exceeded. For example (3) 50 watt, (4) 35 watt or (7) 20 watt elements can be specified per 150 watt transformer. (6) 50 watt, (8) 35 watt or (15) 20 watt elements can be specified per 300 watt transformer. Double a 300 watt limit for 600 watts.

Additional Important Transformer Information: Aside from wattage requirements and accessibility, the other important factor to consider when choosing a transformer is "voltage drop." The further a light source (pendant/head) is located from the transformer, the lower its voltage and brightness. Magnetic and DC transformers are better suited to handle longer rail runs and distances from the transformer to the furthest light source.

Shown:
Custom Bubbles Pendants Installation

step 4

Choose your Transformer + Canopy (Continued)

When using a remote transformer, a remote canopy is necessary. Power feed canopies are mounted to the ceiling or wall. Location can be anywhere along the rail.

- 4" Round Canopies mount to a standard 4" electrical J-Box.
- 2.75" Round Canopies mount to a special 2" electrical J-Box (included).

Remote canopies include 28" standard length of a 10AWG flexible, plated coaxial power feeder and complementing rail adapter. The coaxial feeder is field-cuttable and easily shortened by the installer. A straight line to the rail, giving the appearance of a solid stem, is easily achievable by the installer. Direct-feed canopies include a complementing rail adapter flush with canopy.

Single Feed Remote Canopies

	MSCPRMT1 (BZ-PN-SN) 4" Round canopy with flexible 10 AWG softfeeder		MSCPDIR1 (BZ-PN-SN) 4" Round direct canopy
	MSCPRMT2 (BZ-PN-SN) 2.75" Round canopy with flexible 10 AWG softfeeder		MSCPDIR2 (BZ-PN-SN) 2" Round direct canopy

4" and 2" direct feed canopies are compatible with direct hanger MSHG1 (BZ-PN-SN)

Dual Feed Remote Canopies

	MSCPRMTDU1 (BZ-PN-SN) 4" Round canopy with dual 10 AWG softfeeder		MSCPDIRDU1 (BZ-PN-SN) 4" Round direct canopy dual
	MSCPRMTDU2 (BZ-PN-SN) 2.75" Round canopy with dual 10 AWG softfeeder		MSCPDIRDU2 (BZ-PN-SN) 2" Round direct canopy dual

4" and 2" direct feed canopies dual are compatible with direct hanger MSHG1 (BZ-PN-SN)

2" Electrical Box

	MSJBOXRM2 (BZ-PN-SN) Electrical box comes standard with each 2.75" remote canopy and MUST be installed
---	--

step 5

Choose your Decorative Elements: Heads

 p77 LED Action Bare	 p73 LED Duomo Action	 p75 LED Iris Action	 p77 LED Murano Action	 p73 LED Simple Action	 p75 LED Vitrea Action	 p80 LED Bare MR Focus
 p79 LED Krypto Focus	 p78 LED Murano Focus	 p79 LED Rocker Focus	 p78 LED Simple Focus	 p86 LED Bare MX	 p86 LED Duomo MX	 p85 LED Iris MX
 p87 LED Murano MX	 p87 LED Simple MX	 p85 LED Vitrea MX	 p81 LED Bare Snap	 p81 LED Duomo Snap	 p80 LED Form Snap	 p83 LED Iris Snap
 p84 LED Spectra Snap	 p83 LED Vitrea Snap	 p89 LED Industrial Swivel	 p91 LED Iso Swivel	 p88 LED Krypto Swivel	 p91 LED Piston Swivel	 p89 LED Planar Swivel



Shown:
(3) DM202AMBZM5R
Vitrea MX Swivel Heads in Amber
(2) PD218AMBZM3R
Rocker Pendants in Amber



step 5 Choose your Decorative Elements: Pendants

p95	p101	p97	p100	p105	p103	p146	p157
Acorn	Alicia Crystal	Belle	Belle Grande	Bubbles	Calla Lilly	Caramel	Castle
p135	p99	p99	p99	p107	p119	p142	p129
Cirrus	Crystal Cube	Crystal Cylinder	Crystal Rectangle	Dew Drop	Droplets	Duomo Action	Elise Crystal
p137	p129	p157	p110	p113	p139	p121	p121
Gauss	Gracie Crystal	Hadron	Ice	Iris Action	Java	Jazz Crystal	Jazz Venti
p109	p109	p145	p150	p145	p146	p147	p127
Kitchen	Kitchen Doppio	Konos	Krypto	Lenox	Luma	Magic Doppio	Marte
p119	p118	p137	p143	p111	p116	p117	p155
Mercury Falling	Milano	Muna	Murano Action	Nautilus	Onyx Cylinder	Onyx Teardrop	Optics
p155	p130	p133	p115	p126	p125	p151	p136
Optics Fizz	Peak Crystal	Piston	Poppy	Ridge Crystal	Rock Candy	Rocker	Rogallo
p142	p134	p141	p97	p153	p141	p149	p147
Simple Action	Spectra	Spun	Stalactite	Stilo	Swirl	Tide	Tube
p131	p113	p152	p149				
Tyne Crystal	Vitrea Action	Wand	Whisper				

Wall Monorail

Wall Monorail combines the elegance of monorail closely mounted to any wall giving a creative way of illuminating any wall surface.

Mount any picture light or EZ Jack compatible element to rail. Arc, Tele and Snap swivels are particularly popular choices for artwork or wall illumination.

Hand-bendable, field-cuttable wall monorail is rated for 300 watts at 12 volts, 600 watts at 24 volts.


A myriad of decorative elements make Stone Lighting's Wall Monorail solution ideal for any wall illumination application.



Shown:
(4) 10" Bronze Snap Swivels
with Bronze Shields.
Bronze Wall Monorail.



Wall Monorail Fundamentals




step 1 Choose your Rail

It is important to determine what you want to illuminate. Stone Lighting Design Professionals are available to help you create your optimal design. We recommend sketching out your design to help navigate you through this simple system basics guide. Wall Monorail is available in straight sections. Every rail is shipped with a set of straight conductive connectors for easy joining to another monorail. The rail is rated for a maximum of 25 amps: 300 watts at 12 volts or 600 watts at 24 volts.



Straight Monorail
Straight monorail is available in 36", 48" or 96" lengths.

- MSRL36 (BZ-PN-SN)-36" Straight QTY ☐
- MSRL48 (BZ-PN-SN)-48" Straight QTY ☐
- MSRL96 (BZ-PN-SN)-96" Straight QTY ☐



step 2 Choose your Monorail Connectors

Order connectors for joining rails.

Adjustable Connector
Conductive connectors join sections of rail together allowing subtle to sharp horizontal angles.

- MSCNADJ (BZ-PN-SN) QTY ☐



step3

Choose your Monorail Connectors (Continued)

Isolating Connector
Use a pair of isolating connectors to separate one powered run from another.

☐ MSCNISO QTY



Straight Connector
Straight conductive connectors join one powered run to another.

☐ MSCNS (BZ-PN-SN) QTY



End Caps
Decorative metal caps to give finished look to ends of monorail.

☐ MSCAPS (BZ-PN-SN) QTY



step4

Choose your Supports

Wall Hanger
Positions rail 1" away from wall. Recommended every three feet along wall mounting.

☐ MSHGWALL (BZ-PN-SN) QTY



step5

Choose your Transformer + Canopy

All Wall Monorail lighting systems require a transformer to convert standard 120 voltage to a safe-to-touch 12 or 24 volts. Wall Monorail is powered with remote transformers.

Remote Transformers
All remote transformers are encased in black metal housings complete with mounting feet and conduit knockouts. A remote transformer must be installed in an accessible remote location.

REMOTE TRANSFORMER	DESCRIPTION	DIMENSIONS LxWxH (in)	MODEL NUMBER	DIMMER TYPE
	Remote Electronic 60W 120V 0.50Amp Output 12VDC 5Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	8.15"x2"x1.70"	PWERM60D	ELV Incandescent or C-L Lutron Dimmer
	Remote Magnetic 60W 120V/240V/277V 0.50Amp Dual Output 12VAC and 12VDC 5Amp LED COMPATIBLE UL2108 Short circuit and thermal protection	10"x3.11"x2.95"	PWMRM60	LVM or C-L Lutron Dimmer
	Remote Electronic 150W 120V 1.25Amp Output 12VDC 12.5Amp UL2108 Short circuit and thermal protection	8.15"x2"x1.70"	PWERM150D	ELV Incandescent or C-L Lutron Dimmer
	Remote Electronic 300W 120V 2.5Amp Output 12VDC 25Amp UL2108 Short circuit and thermal protection	9.95"x3.38"x1.90"	PWERM300D	ELV Incandescent or C-L Lutron Dimmer
	Remote Magnetic 150W 120V 1.25Amp Multitap Output 12V, 13V, 14V, 15V 12.5Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	8.75"x4.33"x3.82"	PWMRM150	LVM or C-L Lutron Dimmer
	Remote Magnetic 300W 120V 2.5Amp Multitap Output 12V, 13V, 14V, 15V 25Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	8.75"x4.33"x3.82"	PWMRM300	LVM or C-L Lutron Dimmer
	Remote Magnetic 600W 120V 5Amp Dual Multitap Output 12V, 13V, 14V, 15V dual 25Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	9.52"x5.31"x4.84"	PWMRM600	LVM or C-L Lutron Dimmer

All Remote Transformers must be accompanied by a Remote Canopy. The Remote Canopy covers the wall electrical box and is equipped with an integral power feed.

How to calculate your wattage needs
4" remote canopies are available for wall remote transformer applications. To find which is right for your system, add up the total wattage of the heads you'll be using (the number of heads x the total lamp wattage per fixture = total wattage). A combination of wattages may be chosen as long as the maximum wattage allowed by the transformer is not exceeded. For example (3) 50 watt, (4) 35 watt or (7) 20 watt elements can be specified per 150 watt transformer. (6) 50 watt, (8) 35 watt or (15) 20 watt elements can be specified per 300 watt transformer. Double a 300 watt limit for 600 watts.

Additional Important Transformer Information: Aside from wattage requirements and accessibility, the other important factor to consider when choosing a transformer is "voltage drop." The further a light source is located from the transformer, the lower its voltage and brightness. Certain transformers are better suited to handle longer rail runs and distances from the transformer to the furthest light source.

step5

Choose your Transformer + Canopy (Continued)

Canopy Options

When using a remote transformer, a remote canopy is necessary. Power feed canopies run directly behind a rail run. Location can be anywhere along the rail.

4" Direct Wall Monorail Canopy

Round single feed mounts to 4" junction box.



☐ MSCPYWALL1 (BZ-PN-SN) QTY

step6

Choose your Decorative Elements

Monorail Wall Adapter

One adapter is required for each swivel head.



☐ MSWAD (BZ-PN-SN) QTY

Heads Compatible with Single Circuit Wall Monorail

Bare Snap Extension Head
WB200SNR

Arc
PLARC200SNR

Telescopic
PLTEL200PCR


step6

Choose your Decorative Elements for Bare Snap Extension Head, Arc or Telescopic

Bare Snap Extension Head

Bare lamp adjustable head. As 10" length allows for perfect wall illumination especially over cabinetry. Monopoint and Monorail mounting options.

Monopoint includes 60 watts mini electronic transformer that neatly fits in J-Box, 12volt can be accesorized with elements on page 49.



Model
WB200



10 10" stem		D5 LED MR16 5W	
		M5 MR16 Halogen 50W	
		CC (Constant Color Lamp)	
Finish	Stem Length	Lamp	Mounting
SN	10	M5	R*
BZ	bronze		M monopoint canopy
PN	polished nickel		R wall monorail
SN	satin nickel		


* For Monorail version see pages 80-84

* Monorail Wall Adapter Included

Arc

Gentle curved picture light. Monopoint and Monorail mounting options.

Monopoint includes 60 watts mini electronic transformer that neatly fits in J-Box, 12volt can be accesorized with elements on next page.




Model
PLARC200

		D5 LED MR16 5W	
		M5 MR16 Halogen 50W	
		CC (Constant Color Lamp).	
Finish	Lamp	Mounting	
SN	M5	R	
SN	satin nickel	M monopoint canopy	
		R wall monorail	

Telescopic

Telescoping and multiple angling possibilities. Monopoint and Monorail mounting options.

Monopoint includes 60 watts mini electronic transformer that neatly fits in J-Box, 12volt can be accesorized with elements on next page.



Model
PLTEL200

		D5 LED MR16 5W	
		M5 MR16 Halogen 50W	
		CC (Constant Color Lamp).	
Finish	Lamp	Mounting	
PC	M5	R	
PC	polished chrome	M monopoint canopy	
		R wall monorail	

Choose your Decorative Elements for Telescopic or Arc

Each element easily attaches with a simple spring clip. (Included)



PL201 (PN-SN)



PL206TO



PL206RD



PL206BG



PL202FR



PL202BU



PL202AM



PL202CR



Shown:
(3) PLARC200SNM5R
Bare Heads Arcs
(3) MSHGWALLSN
Satin Nickel Wall Hangers
Satin Nickel Wall Monorail

Picture Light



Highlighter

Features a 17" arched stem.
Perfect for artwork illumination.

Can be accessorized with elements to the right.

Model
PLHL200

- D5 LED MR16 5W
- M5 MR16 Halogen 50W

Finish	Lamp	Mounting
SN	M5	M

SN satin nickel

M monopoint canopy

Decorative Elements for Highlighter

Each element easily attaches with an integrated adapter.



HL204 (BZ,PN,SN)



HL201 (BZ,PN,SN)



HL203AM (BZ,PN,SN)



HL203RD (BZ,PN,SN)



HL203BU (BZ,PN,SN)



HL203MO (BZ,PN,SN)



HL202AM (BZ,PN,SN)



HL202BU (BZ,PN,SN)



HL202CR (BZ,PN,SN)



HL202FR (BZ,PN,SN)



HL206TO (BZ,PN,SN)



HL206BG (BZ,PN,SN)



HL206RD (BZ,PN,SN)



HL201 (BZ,PN,SN)



HL205FR (BZ,PN,SN)




HL205BU (BZ,PN,SN)



HL205CR (BZ,PN,SN)



HL205AM (BZ,PN,SN)



Shown:
PLHL204SNM5M
Form Highlighter in
Satin Nickel

Cable Light

Stone Lighting Cable Light is perfect for large open space spanning installation, the cables virtually disappear when installed.


Integrated low-voltage cables run parallel at 5.5" separation. We picked the most common hardware elements to simplify specification.

Virtually all pendants and heads are adaptable easily with our EZ Jack Cable Adapter. We also offer several other directly attached heads that are beautiful, unique and compatible with most of our glass and metal accessories.



Shown:
(4) Vail Pivot Heads on Cable System
powered by a 300W Surface Mount Transformer





step 1

Design

Determine what it is you are trying to light. Then determine what Cable Heads you can choose see pages 57-59. Also you may choose compatible Heads and Pendants that attach to cable using our **EZ Jack Cable Light Adapter**.

Choose your decorative elements and attachable accessories (glass or metal shields) if desired: The choices are shown on page 61.

Note: Plan the run of cable within 24 inches of a junction box. Determine how many feet of cable you will need.



Cable Insulated

Use insulated cable where required by local codes, also in coastal areas where salty air will accelerate corrosion of bare cables.

☐ CSCBLINSSN

#10 gauge tin-plated copper cable with Kevlar core, sheathed in clear coating.

QTY



Cable Bare

Rated for 300W at 12V, 600W at 24V load: Voltage drops occur at 30' with 12V, and 60' with 24V.

☐ CSCBLBARESN

#10 gauge tin-plated copper cable with Kevlar core.

QTY

step 2

Choose your Transformer and Hardware to complete the system

First add up the wattages of the lamps so you can choose the correct transformer. You can choose a remote transformer with power feed canopy for the cleanest look. **Note: With remote transformers you must be able to access the transformer.**

A surface transformer simply mounts to a junction box. To learn more about selecting surface mounted versus remote transformers see page 56.

You will also need to support cable by choosing a set of turnbuckles for each end of cable attachment. Cable supports are needed only if cable run is over 20 feet or if pendants or heavier elements are chosen.

Universal Turnbuckles (2pc. set)

5.5" long, 1.75" diameter when ceiling mounted, cables drop 2.5" from ceiling. All turnbuckles include mounting hardware for drywall. Special hardware is available for brick, cement or plaster surfaces (specify when ordering).

☐ CSTRNBCKLSN

QTY



step 2

Choose your Transformer and Hardware to complete the system (Continued)

Adjustable Cable Hanger 12ft

Used to support runs over 20' long so cable does not sag. Wire grip allows easy adjustability.

☐ CSCBLADJ12SN

QTY



Cable EZ Jack Adapter

Allows any EZ Jack element. Head or Pendant to mount and hang from cable run.

☐ CSEJADPSN

QTY



Conductive Connector (2pc. set)

Connectors join cables end to end to continue conductivity.

☐ CSCNSSN

QTY



Isolating Connector (2pc. set)

Connectors join cables end to end and isolate power feeds from each other.

☐ CSCNISO

QTY



step 2

Choose your Transformer and Hardware to complete the system (Continued)

Surface Mounted Transformers

SMT	DESCRIPTION	MODEL NUMBER	INPUT	OUTPUT	DIMMER TYPE
	12V/300W Surface Mount Cable Transformer DC 30" Power feed cable	PWECBL300DSN	1x120 VAC/2.5A	1x300W	Electronic Low Voltage Dimmer 600W

Single Feed Remote Canopies

	CSCPRIGSN 4" Round power feed canopy 20" single feed rigid connector		CSCPSFTSN 4" Round power feed canopy 30" single feed soft feeder connector
---	--	---	--

Dual Feed Remote Canopies

	CSCPRIGDUSN 4" Round power feed canopy 20" dual feed rigid connector for 600W remote transformer		CSCPSFTDUSN 4" Round power feed canopy 30" dual feed soft feeder connector
--	--	--	--

Remote Transformers

REMOTE TRANSFORMER	DESCRIPTION	DIMENSIONS LxWxH (in)	MODEL NUMBER	DIMMER TYPE
	Remote Electronic 60W 120V 0.50Amp Output 12VDC 5Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	8.15"x2"x1.70"	PWERM60D	ELV Incandescent or C-L Lutron Dimmer
	Remote Magnetic 60W 120V/240V/277V 0.50Amp Dual Output 12VAC and 12VDC 5Amp LED COMPATIBLE UL2108 Short circuit and thermal protection	10"x3.11"x2.95"	PWMRM60	LVM or C-L Lutron Dimmer
	Remote Magnetic 150W 120V 1.25Amp Multitap Output 12V, 13V, 14V, 15V 12.5Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	8.75"x4.33"x3.82"	PWMRM150	LVM or C-L Lutron Dimmer
	Remote Magnetic 300W 120V 2.5Amp Multitap Output 12V, 13V, 14V, 15V 25Amp LED COMPATIBLE UL2108 Short circuit and thermal Protection * 277V available upon request	8.75"x4.33"x3.82"	PWMRM300	LVM or C-L Lutron Dimmer
	Remote Magnetic 600W 120V 5Amp Dual Multitap Output 12V, 13V, 14V, 15V dual 25Amp LED COMPATIBLE UL2108 Short circuit and thermal protection * 277V available upon request	9.52"x5.31"x4.84"	PWMRM600	LVM or C-L Lutron Dimmer

step 3

Choose your Decorative Elements

Aspen Head

Highly adjustable head tilts 140° within ring.
Ring will rotate 360°.

Can be accessorized with elements on page 61.

Model CB903		
	D5 LED MR16 5W	
	M5 MR16 Halogen 50W	
Finish	Lamp	Mounting
SN	M5	C
SN satin nickel		C cable adapter



Snowmass EZ Jack Head

Head rotates 360°, swivels 220°, pivots on horizontal and vertical axis.

Can be accessorized with elements on page 61.

Model CB902		
	D5 LED MR16 5W	
	M5 MR16 Halogen 50W	
Finish	Lamp	Mounting
SN	M5	C
SN satin nickel		C cable adapter



Vail Pivot Head

Head swivels 220°, pivots on horizontal and vertical axis.

Can be accessorized with elements on page 61.

Model CB900		
	D5 LED MR16 5W	
	M5 MR16 Halogen 50W	
Finish	Lamp	Mounting
SN	M5	C
SN satin nickel		C cable adapter



step3

Choose your Decorative Elements (Continued)



Alta Telescopic Cable Head

Arms Telescope from 12"-42" unlimited angles are possible. Head rotates 330°. Head will swivel and pivot for precise beam aiming.

Can be accessorized with elements on page 61.

Model CB905			D5 LED MR16 5W M5 MR16 Halogen 50W		
Finish	Lamp	Mounting	Finish	Lamp	Mounting
SN	M5	C	SN	M5	C
SN satin nickel			C cable adapter		

step3

Choose your Decorative Elements (Continued)



Whistler Head

Head pivots 220° on two axis, field cuttable rods.

Can be accessorized with elements on page 61.

Model CB901			D5 LED MR16 5W M5 MR16 Halogen 50W		
Finish	Lamp	Mounting	Finish	Lamp	Mounting
SN	M5	C	SN	M5	C
SN satin nickel			C cable adapter		



Aspen Head EZ Jack

Aspen Head from pp. 57 can be accessorized with multiple heads on field cuttable rod drop.

Can be accessorized with elements on page 61.

Model CB903EJ			D5 LED MR16 5W M5 MR16 Halogen 50W		
Finish	Lamp	Mounting	Finish	Lamp	Mounting
SN	M5	C	SN	M5	C
SN satin nickel			C cable adapter		



Cable Head Top

Borosilicate glass tube in frost or amber meant to hang on vertical or horizontally mounted cable runs.

Model CB507			L2 LED G4 JC 2W X3 GY6.35 Xenon 35W		
Color	Finish	Lamp	Color	Finish	Mounting
AM	SN	X3	AM	SN	C
SN satin nickel			C cable adapter		

COMPLEMENT:
chandeliers p173



Shown:
(3) CB507FRSNX3C
Vertically installed cable system
with 3 Cable Top Heads in Frost

step 3 Choose your Decorative Elements (Continued)

Each element easily attaches with a simple spring clip. (included)



PL202FR



PL202BU



PL202AM



PL202CR



PL206TO



PL206RD



PL206BG



PL201 (PN-SN)



stone EZ JACK

The **EZ Jack** system represents exactly as it sounds. Simply choose any of our canopies or adapters that have a female Jack port and simply plug in any male Jack compatible element to create your lighting solution.

A summary of all Compatible **EZ Jack** Pendants, Heads or Canopies choices can be found within the next pages.



Shown:
(1) CPEJRN13SN
13 Light EZ Jack Canopy
(13) PD091CRSNX2J
Gracie Pendants in Clear



EZ Jack Canopies



*EZ Jack Halo Compatible Track Adapter available see page 67



Pendant System EZ Jack

Every coaxial low voltage Pendant and Head is shipped with a male EZ Jack for easy connection.



Model
MSEZJCK

BZ bronze PN polished nickel SN satin nickel
Finish
SN



2" Electrical Box

Electrical box comes standard with each 2.75" remote canopy.

Model
MSJBOXRM2



EZ Jack Track Adapter

Allows EZ Jack elements to be track-adapted. Halo track or equivalent compatible. 60W electronic transformer housed in black, silver or white casing. Female EZ Jack port installed.

BK black
SI silver
WH white

HAL for Halogen fixtures
LED for LED fixtures LED+

Model	Finish	Fixture
EJTRKADP1	BK	HAL



Monorail EZ Jack Adapter

Allows for any male EZ Jack connection to Monorail.



Model
MSPAD

BZ bronze PN polished nickel SN satin nickel
Finish
PN



Wall Rail Adapter

Allows for any male EZ Jack connection to Wall Monorail.



Model
MSWAD

BZ bronze PN polished nickel SN satin nickel
Finish
PN

Low Voltage Monopoint Canopies



2.75" Round 1 Lite Canopy

Mounts to included mating 2" electrical box that accepts recessed 12V, 60W electronic transformer included. Female EZ Jack port installed.

BZ bronze
PC polished chrome
PN polished nickel
SN satin nickel

HAL for Halogen fixtures
LED for LED fixtures LED+

Model	Finish	Fixture
CPEJRN2	SN	HAL



4" Round 1 Lite Canopy

Mounts to standard 4" electrical box 12V, 60W electronic transformer included. Female EZ Jack port installed. Ships with every element ordered as Monopoint.

BZ bronze
PC polished chrome
PN polished nickel
SN satin nickel

HAL for Halogen fixtures
LED for LED fixtures LED+

Model	Finish	Fixture
CPEJRN1	SN	HAL



4" Round Deep 1 Lite Canopy

Used when the junction box will not accommodate enough room for recessing of 12V, 60W electronic transformer included. Female EZ Jack port installed.

BZ bronze
PC polished chrome
PN polished nickel
SN satin nickel

HAL for Halogen fixtures
LED for LED fixtures LED+

Model	Finish	Fixture
CPEJRND	BZ	HAL



4" Square EZ Jack Canopy

Mounts to standard 4" electrical box 12V, 60W electronic transformer included. Female EZ Jack port installed. Order separately.

BZ bronze
PC polished chrome
PN polished nickel
SN satin nickel

HAL for Halogen fixtures
LED for LED fixtures LED+

Model	Finish	Fixture
CPEJSQ1	SN	HAL



Cable System Adapter

Allows for any male EZ Jack connection to any Cable Installation.



Model
CSEJADP

SN satin nickel
Finish
SN

Low Voltage Multi Light Canopies





3 Light EZ Jack Canopy
Mounts to a standard 4" junction box. Equipped with (3) 12 V, 60 watt transformers.

	BZ	bronze	
	PC	polished chrome	
	PN	polished nickel	HAL for Halogen fixtures
	SN	satin nickel	LED for LED fixtures 
Model	Finish	Fixture	
CPEJRN3	SN	HAL	





5 Light EZ Jack Canopy
Mounts to a standard 4" junction box. Equipped with (5) 12 V, 60 watt transformers.

	BZ	bronze	
	PC	polished chrome	
	PN	polished nickel	HAL for Halogen fixtures
	SN	satin nickel	LED for LED fixtures 
Model	Finish	Fixture	
CPEJRN5	BZ	HAL	





7 Light EZ Jack Canopy
Mounts to a standard 4" junction box. Equipped with (7) 12 V, 60 watt transformers.


	BZ	bronze	
	PC	polished chrome	
	PN	polished nickel	HAL for Halogen fixtures
	SN	satin nickel	LED for LED fixtures 
Model	Finish	Fixture	
CPEJRN7	SN	HAL	





13 Light EZ Jack Canopy
Mounts to a standard 4" junction box. Equipped with (2) 150 watt electronic transformers.

	BZ	bronze	
	PC	polished chrome	
	PN	polished nickel	HAL for Halogen fixtures
	SN	satin nickel	LED for LED fixtures 
Model	Finish	Fixture	
CPEJRN13	SN	HAL	





25 Light EZ Jack Canopy
Mounts to a standard 4" junction box. Equipped with (3) 150 watt electronic transformers.

	BZ	bronze	
	PC	polished chrome	
	PN	polished nickel	HAL for Halogen fixtures
	SN	satin nickel	LED for LED fixtures 
Model	Finish	Fixture	
CPEJSQ25	SN	HAL	

Shown:
(1) CPEJRN7SN
7 Light EZ Jack Canopy
(7) PD116AMSNM3J
Optics Pendants in Amber. 12V.



Low Voltage Swivel Heads

Stone Lighting offers a myriad of design options within our Swivel Heads selection. From bare minimalist heads to heads accessorized with beautiful Murano blown glass shades, We have a solution for every designers vision.

Each of our swivels is offered in MR16 Halogen and MR16 LED lamping as an option. Unique to Stone Lighting is our LED MR16 solution.

Offering effective forward beam illumination just like a Halogen MR16, but unlike other manufacturers, **our unique LED MR16 solution offers beautiful backlight.** Allowing our organic blown glass shields to be illuminated as intended.



All Heads are
Jack adaptable.



Shown:
(5) DM206TOBZM5R
Iris MX Swivel Heads in Tortoise.

Shown:
 (3) DA205AMSNM5R
 Simple Action Swivel in Amber
 MSRL96SN
 Monorail
 (2) MSHGADJ2SN
 Adjustable Hangers



Simple Action Swivel

Adjustable action swivel head accessorized with transparent and frosted blown glass cylinders.

Rotates 360 degrees and pivots 90 degrees.

Includes specified Low-Voltage lamp.



Model DA205	AM amber BU blue CR clear FR frost	D5 LED MR16 5W M5 MR16 Halogen 50W	
	Color Options AM	Finish SN	Lamp M5
COMPLEMENT: pendants p142 wall p203, 206 wall monorail p49		Mounting R	M monopoint canopy R monorail adapter C cable adapter J EZ jack

Duomo Action Swivel

Adjustable action head accessorized with decorative metal shield.

Rotates 360 degrees and pivots 90 degrees.

Includes specified Low-Voltage lamp.



Model
DA201

COMPLEMENT:
pendants p142
wall monorail
p46, 49

D5 LED MR16 5W
M5 MR16-Halogen 50W

Finish
Lamp
Mounting

PN
M5
R

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Shown:
(5) DA206BGSNM5R
Iris Action Swivel in Blue-Green
MSRL96SN
Monorail
(4) MSHG1SN
Direct Hangers

Iris Action Swivel

This swivel is accessorized with blown glass frit shield imbued beautifully with Iris coating that adds a unique metallic appearance within each glass shade.

360 degree rotation, 90 degree tilt.



Model

DA206

COMPLEMENT:
pendants p113
wall monorail
p46, 49

BG blue-green
RD red
TO tortoise

D5 LED MR16 5W
M5 MR16 Halogen 50W

Color Options	Finish	Lamp	Mounting
BG	SN	M5	R
BZ bronze PN polished nickel SN satin nickel			M monopoint canopy R monorail adapter C cable adapter J EZ jack

Vitrea Action Swivel

This swivel is accessorized with crystal clear amber, blue or clear glass shades. Also available in a nice frost shade option.

360 degree rotation, 90 degree tilt.



Model

DA202


COMPLEMENT:
pendants p113
wall monorail
p46, 49

AM amber

BU blue

CR clear

FR frost


D5 LED MR16 5W


M5 MR16 Halogen 50W

Color Options

Finish

Lamp

Mounting

FR

SN

M5

R

BZ bronze

PN polished nickel

SN satin nickel

M monopoint canopy

R monorail adapter

C cable adapter

J EZ jack

Shown:
(1) DA203MOBZM5J
Murano Swivel Head in Mocha
(1) CPEJRNDBZ
4" Round Deep 1 Lite Canopy
in Bronze



Murano Action Swivel

Action swivel with Murano glass cylinders imbued with genuine gold flakes.

360 degree rotation, 90 degree tilt.



Model DA203 COMPLEMENT: pendants p143 wall p203, 207 wall monorail p49	AM amber BU blue MO mocha RD red			D5 LED MR16 5W M5 MR16 Halogen 50W	
	Color Options	Finish	Lamp	Mounting	
	AM	SN	M5	R	
		BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	

Action Bare Swivel

Bare head action swivel.

360 degree rotation, 90 degree tilt.



Model DA200	D5 LED MR16 5W M5 MR16 Halogen 50W CC (Constant Color Lamp)				
	Finish	Lamp	Mounting		
	PN	M5	R		
	BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack		



Simple Focus Swivel

This swivel is accessorized with small Murano blown glass cylinders in crystal transparent clear, blue, amber and frost.

360 degree rotation, 270 degree tilt.

Model
DF205

AM amber
BU blue
CR clear
FR frost

COMPLEMENT:
pendants p142
wall p203, 206
wall monorail
p49

Color Options	Finish	Lamp	Mounting
FR	SN	M5	R

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

◀ D5 LED MR16 5W
◀ M5 MR16 Halogen 50W

Rocker Focus Swivel

This unique swivel has a beautiful double envelope of blown glass.

360 degree rotation, 270 degree tilt.

Model
DF218

AM amber
BU blue
CR clear

COMPLEMENT:
pendants p151
wall p204, 207

Color Options	Finish	Lamp	Mounting
CR	PN	M5	R

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

◀ D5 LED MR16 5W
◀ M5 MR16 Halogen 50W

78

Murano Focus Swivel

This beautiful swivel is accessorized with small Murano blown glass cylinders that are imbued with genuine gold flakes creating a beautiful design option.

360 degree rotation, 270 degree tilt.

Model
DF203

AM amber
BU blue
MO mocha
RD red

COMPLEMENT:
pendants p143
wall p203, 207
wall monorail
p49

Color Options	Finish	Lamp	Mounting
BU	SN	M5	R

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

◀ D5 LED MR16 5W
◀ M5 MR16 Halogen 50W

Krypto Focus Swivel

This unique swivel has a beautiful double envelope of blown glass.

360 degree rotation, 270 degree tilt.

Model
DF217

AM amber
BU blue
CR clear

COMPLEMENT:
pendants p150
wall p204, 206

Color Options	Finish	Lamp	Mounting
AM	SN	M5	R

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

◀ D5 LED MR16 5W
◀ M5 MR16 Halogen 50W

79

stonelighting.net



Bare MR Focus Swivel

Bare swivel with specified Halogen MR16 or LED MR16.

360 degree rotation, 270 degree tilt.

Model
DF200



COMPLEMENT:
wall p202

Finish	Lamp	Mounting
PN	M5	R
BZ		M
PN		R
SN		C
		J

D5 LED MR16 5W
M5 MR16 Halogen 50W
M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Duomo Snap Swivel

Adjustable head accessorized with decorative metal shield.

Rotates 360 degrees and pivots 90 degrees.

Includes specified Low-Voltage lamp.

Model
DB201



COMPLEMENT:
pendants p142
wall monorail p46, 49

01 1" stem
03 3" stem
10 10" stem
D5 LED MR16 5W
M5 MR16 Halogen 50W

Finish	Stem Length	Lamp	Mounting
SN	03	M5	R
BZ			M
PN			R
SN			C
			J

bronze
polished nickel
satin nickel
monopoint canopy
monorail adapter
cable adapter
EZ jack

* For Wall Monorail version see page 45



Custom stem lengths available (consult factory).



Form Snap Swivel

Adjustable head accessorized with decorative metal shield.

Rotates 360 degrees and pivots 90 degrees.

Includes specified Low-Voltage lamp.

Model
DB204



COMPLEMENT:
wall monorail p49

01 1" stem
03 3" stem
10 10" stem
D5 LED MR16 5W
M5 MR16 Halogen 50W

Finish	Stem Length	Lamp	Mounting
PN	03	M5	R
BZ			M
PN			R
SN			C
			J

bronze
polished nickel
satin nickel
monopoint canopy
monorail adapter
cable adapter
EZ jack

* For Wall Monorail version see page 45

Custom stem lengths available (consult factory).

Bare Snap Swivel

Bare lamp adjustable head.

Rotates 360 degrees and pivots 90 degrees.

Includes specified Low-Voltage lamp.

Model
DB200



COMPLEMENT:
wall monorail p45

01 1" stem
03 3" stem
10 10" stem
D5 LED MR16 5W
M5 MR16 Halogen 50W
CC (Constant Color Lamp)

Finish	Stem Length	Lamp	Mounting
BZ	03	M5	R
PN			M
SN			R
			C
			J

bronze
polished nickel
satin nickel
monopoint canopy
monorail adapter
cable adapter
EZ jack

* For Wall Monorail version see page 45



Custom stem lengths available (consult factory).

Shown:
(7) DB202CRSN01M5R
Vitrea Snap Swivels in Clear



Vitrea Snap Swivel

Adjustable head accessorized with transparent glass shades and frosted shade.

360 degree rotation, 90 degree tilt.

Includes specified Low-Voltage lamp.



Model DB202	AM amber		01 1" stem	 D5 LED MR16 5W M5 MR16 Halogen 50W	
	BU blue		03 3" stem		
	CR clear		10 10" stem		
	FR frost				
	Color Options	Finish	Stem Length	Lamp	Mounting
COMPLEMENT: pendants p113 wall monorail p46, 49	BU	SN	03	M5	R
		BZ bronze			M monopoint
		PN polished nickel			R monorail
		SN satin nickel			C cable adapter
					J EZ jack

* For Wall Monorail version see page 45

Custom stem lengths available (consult factory).

Iris Snap Swivel

Adjustable head accessorized with blown glass shades frits and iris accents.

360 degree rotation, 90 degree tilt.

Includes specified Low-Voltage lamp.



Model DB206	BG blue-green	01 1" stem	 D5 LED MR16 5W  M5 MR16 Halogen 50W		
	RD red	03 3" stem			
	TO tortoise	10 10" stem			
	Color Options Finish Stem Length Lamp Mounting				
 COMPLEMENT: pendants p113 wall monorail p46, 49	BG	SN	03	M5	R
	BZ bronze	PN polished nickel			M monopoint
	SN satin nickel				R monorail
					C cable adapter

* For Wall Monorail version see page 45

Custom stem lengths available (consult factory).



Shown:
(1) DM206RDPNM5M
Iris MX Swivel Red Monopoint

Iris MX Swivel


This swivel is accessorized with blown glass frit shield imbued beautifully with Iris coating that adds a unique metallic appearance within each glass shade.

360 degree rotation, 270 degree tilt.



Model DM206 COMPLEMENT: pendants p113 wall monorail p46, 49	BG blue-green RD red TO tortoise			D5 LED MR16 5W M5 MR16 Halogen 50W	
	Color Options	Finish	Lamp	Mounting	
	TO	BZ PN SN	M5	R M R C J	

Custom stem lengths available (consult factory).



Spectra Snap Swivel

Dichroic glass shade.

Rotates 360 degrees and
pivots 90 degrees.

Includes specified Low-Voltage lamp.

Model DB207 COMPLEMENT: pendants p134 wall p205	RE reflex 01 1" stem 03 3" stem 10 10" stem			D5 LED MR16 5W M5 MR16 Halogen 50W	
	Color Options	Finish	Stem Length	Lamp	Mounting
	RE	SN PN SN	03	D5	R M R C J

* For Wall Monorail version see page 45

Custom stem lengths available (consult factory).

Vitrea MX Swivel

This swivel is accessorized with crystal clear amber, blue and clear glass shades. Also available in a nice frost shade option.

360 degree rotation, 270 degree tilt.



Model DM202 COMPLEMENT: pendants p113 wall monorail p46, 49	AM amber BU blue CR clear FR frost			D5 LED MR16 5W M5 MR16 Halogen 50W	
	Color Options	Finish	Lamp	Mounting	
	AM	SN BZ PN SN	M5	R M R C J	

Custom stem lengths available (consult factory).



Duomo MX Swivel

Adjustable head accessorized with decorative metal shield.

Rotates 360 degrees and pivots 260 degrees.

Includes specified Low-Voltage lamp.

Model DM201	COMPLEMENT: pendants p142 wall monorail p46, 49		
	Finish	Lamp	Mounting
	SN	M5	R
	BZ bronze PN polished nickel SN satin nickel	M5 MR16 Halogen 50W	M monopoint canopy R monorail adapter C cable adapter J EZ jack

Custom stem lengths available (consult factory).

Murano MX Swivel


Adjustable head accessorized with Murano glass cylinder.

Rotates 360 degrees and pivots 260 degrees.

Includes specified Low-Voltage lamp.

Model DM203	COMPLEMENT: pendants p143 wall p203, 207 wall monorail p49		
	Color Options	Finish	Lamp
	RD	SN	M5
	AM amber BU blue MO mocha RD red	BZ bronze PN polished nickel SN satin nickel	M5 MR16 Halogen 50W

Custom stem lengths available (consult factory).



Bare MX Swivel

Bare lamp adjustable head.

Rotates 360 degrees and pivots 260 degrees.

Includes specified Low-Voltage lamp.

Model DM200	COMPLEMENT: pendants p142 wall p203, 206 wall monorail p49		
	Finish	Lamp	Mounting
	PN	M5	R
	BZ bronze PN polished nickel SN satin nickel	M5 MR16 Halogen 50W CC (Constant Color Lamp)	M monopoint canopy R monorail adapter C cable adapter J EZ jack

Custom stem lengths available (consult factory).

Simple MX Swivel

Adjustable head accessorized with transparent and frosted blown glass cylinders.

Rotates 360 degrees and pivots 260 degrees.

Includes specified Low-Voltage lamp.

Model DM205	COMPLEMENT: pendants p142 wall p203, 206 wall monorail p49		
	Color Options	Finish	Lamp
	BU	PN	M5
	AM amber BU blue CR clear FR frost	BZ bronze PN polished nickel SN satin nickel	M5 MR16 Halogen 50W

Custom stem lengths available (consult factory).





Krypto Swivel

Simple swivel with beautiful and unique double envelope blown glass shade.

360 degree swivel, 90 degree tilt.



Model
DS217

COMPLEMENT:
pendants p150
wall p204, 206

Color Options	AM amber	Finish	BZ bronze	Lamp	D5 LED MR16 5W	Mounting	M monopoint canopy
	BU blue		PN polished nickel		M5 MR16 Halogen 50W		R monorail adapter
Color Options	CR clear	Finish	SN satin nickel			Mounting	C cable adapter
							J EZ jack

Industrial Swivel

Like it's name, this swivel is Industrial in appearance offering Halogen MR16 or LED MR16 illumination, while adding that Industrial flare to any atmosphere.

360 degree rotation, 90 degree tilt.

Model
DC219

Finish	Lamp	Mounting
SN	M3	R
PN polished nickel		M monopoint canopy
SN satin nickel		R monorail adapter
		C cable adapter
		J EZ jack



Rocker Swivel

Simple swivel with beautiful and unique double envelope blown glass shade.

360 degree swivel, 90 degree tilt.



Model
DS218

COMPLEMENT:
pendants p151
wall p204, 207

Color Options	AM amber	Finish	BZ bronze	Lamp	D5 LED MR16 5W	Mounting	M monopoint canopy
	BU blue		PN polished nickel		M5 MR16 Halogen 50W		R monorail adapter
Color Options	CR clear	Finish	SN satin nickel			Mounting	C cable adapter
							J EZ jack

Planar Swivel

CREE LED and special optic swivel head.

360 degree horizontal plane rotation, 270 degree vertical rotation, and 90 degree tilt.

6 watt LED with variable beam spread lens options.

Model
DD208

Finish	Lamp	Beam Spread	Mounting
SN	LED	W	R
SN satin nickel		N 10 degrees (narrow)	
		M 30 degrees (medium)	
		W 40 degrees (wide)	





Shown:
(3) DP173SNN3J
(3) CPEJSQ1SN
Piston Swivels on Square
Monopoint.

Iso Swivel

Unique magnifier spread lens and frost flat diffuser allows for multi-functional illumination.

360 degree horizontal plane rotation,
360 degree vertical rotation.

Model
DE209

L2 LED G4 JC 2W

X5 GY 6.35 Xenon 50W

Finish	Lamp	Mounting
SN	X5	R

SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Custom stem lengths available (consult factory).

Piston

Design oriented, this long thin cylinder with MR11 lamp makes a unique statement.

360 degree rotation and
90 degree tilt.

Model
DP173

D3 LED MR11 GU4 3W

N3 MR11 Halogen 35W

Finish	Lamp	Mounting
SN	N3	J

PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

COMPLEMENT:
pendants p133



Low Voltage Pendants

All of our glass pendants illustrate in full color and quality a generous selection of the beauty and genius of centuries old glass blowing traditions.

Brilliant color, unique patterns, and materials fusion and the finest crystal components make Stone Lighting's pendants the finest offering in the lighting industry.



All Pendants are
Jack adaptable.





94

Shown:
(3) PD155AMSNX3M
Acorn Pendants in Amber, 12V.

Acorn

Elegant transparent blown glass with crystal glass wrapped accents. 12V.

Model PD155			
AM amber		L2 LED G4 JC 2W	
CR clear		X3 GY6.35 Xenon 35W	
Color Options	Finish	Lamp	Mounting
CR	SN	X3	M
COMPLEMENT: wall p182		BZ bronze	M monopoint canopy
		PN polished nickel	R monorail adapter
		SN satin nickel	C cable adapter
			J EZ jack





Shown:
(3) PD165AMSNX3M
Belle Pendants in Amber

Belle

Mouth Blown Murano glass
with colorful frit accent.12V.



Model

PD165

AM amber

OP opal

RD red

 L5 LED G6.35 6W

 X3 GY6.35 Xenon 35W

Color Options	Finish	Lamp	Mounting
RD	SN	X3	M
	BZ bronze		M monopoint canopy
	PN polished nickel		R monorail adapter
	SN satin nickel		C cable adapter
			J EZ jack

Stalactite

Mouth Blown Murano glass
with crystalline tip.12V.



Model

PD151

AM

CR

OP

amber

clear

opal

L5

N3

X3

LED G6.35 6W (amber,opal)

MR11 Halogen 35W (clear only)

GY6.35 Xenon 35W (amber,opal)

Color Options

Finish

Lamp

Mounting

CR

SN

X3

M

BZ

PN

SN

bronze

polished nickel

satin nickel

M

R

C

J

monopoint canopy

monorail adapter

cable adapter

EZ jack

COMPLEMENT:

wall p185, 191

COMPLEMENT:
wall p185, 191



Shown:
(5) PD134CRSNX3M
Crystal Cube Pendants.12V.

Crystal

Pristine crystal cut and polished glass pendants.12V.



COMPLEMENT:
bath p220,
222
wall p185,
187, 216

Models	Color Options	Finish	Lamp	Mounting
Cube PD134 Cylinder PD221 Rectangle PD222	CR clear	SN BZ bronze PN polished nickel SN satin nickel	X3 L2 LED G4 JC 2W M3 MR16 Halogen 35W (cube only) X3 GY6.35 Xenon 35W	M R C J
				monopoint canopy monorail adapter cable adapter EZ jack





Belle Grande

Mouth Blown glass in flared bell shape with vibrant colorful frit.12V.

Model PD182			
AM amber OP opal RD red			
L5 LED G6.35 6W X3 GY6.35 Xenon 35W			
Color Options	Finish	Lamp	Mounting
OP	SN	X3	M
BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	

Alicia Crystal

Crystal clear handworked Austrian leaded crystal in linear ridged flute shape.

Model PD632			
CR clear L2 LED G4 JC 2W X2 G4 Xenon 20W			
Color Options	Finish	Lamp	Mounting
CR	SN	X2	M
PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	





Shown:
(2) PD103BUSNN3M
Calla Lilly Pendants in Dichroic Blue



Calla Lilly

Transparent mouth blown Murano glass pendants with delicate and elegant glass ridges and organic wavy lip wraps. 12V.

Model			
PD103			
AM dichroic amber			
BU dichroic blue			
CR clear			
		L2 LED G4 JC 2W	
		N3 MR11 Halogen 35W	
Color Options	Finish	Lamp	Mounting
AM	SN	N3	M
	BZ bronze		M monopoint canopy
	PN polished nickel		R monorail adapter
	SN satin nickel		C cable adapter
			J EZ jack



Shown:
 (15) PD129CRX2R
 Bubble Pendants in Clear,
 (4) DB200SNM5R
 Bare Snap Swivels (SN),
 (1) MSRLSP48SN
 48" Monorail Spiral.



Bubbles

Blown sphere with patterned bubbles.12 V.

Model PD129			
BU blue CR clear		L2 LED G4 JC 2W X2 G4 Xenon 20W	
Color Options	Finish	Lamp	Mounting
BU	SN	X2	M
BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	

COMPLEMENT:
 wall p201

Shown:
(1) CPEJRN7SN
7 Light EZ Jack Canopy
(7) PD110CRSNX2J
Dewdrop Pendants in Clear



Dew Drop

Transparent Murano glass pendant imbued with delicate crystal clear glass droplets dripping down and around glass.12V.



Model PD110			
AM amber CR clear		L2 LED G4 JC 2W X2 G4 Xenon 20W	
Color Options	Finish	Lamp	Mounting
CR	SN	X2	M
BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	



COMPLEMENT:
wall p181

Shown:
(5) PD154CRSNM5M
Kitchen Pendants. 12V.

Shown:
(5) PD154CRSNM5M
Kitchen Pendants, 12V.

Shown:
(5) PD154CRSNM5M
Kitchen Pendants, 12V.

A photograph of a modern kitchen interior. Several cylindrical glass pendant lights hang from the ceiling, illuminating the space. The kitchen counter is visible, equipped with various appliances and glassware. The background features a brick wall and a large window. The overall atmosphere is warm and contemporary.

Kitchen

Crystal clear glass cylinder and MR16 make an elegant statement.^{12V}.

Kitchen

Crystal clear glass cylinder and MR16 make an elegant statement.^{12V}.

Kitchen

Crystal clear glass cylinder and MR16 make an elegant statement.^{12V}.

Kitchen

Crystal clear glass cylinder and MR16 make an elegant statement.^{12V}.

Kitchen Doppio

Crystal clear outer glass with frosted inner glass pendant.12V.

Model

PD175

CR-FR clear-frost

Color Options

Finish

Lamp

Mounting

CR-FR

SN

X3

M

BZ bronze

PN polished nickel

SN satin nickel

M monopoint canopy

R monorail adapter

C cable adapter

J EZ jack

Kitchen Doppio

Crystal clear outer glass with frosted inner glass pendant.12V.

Model

PD175

CR-FR clear-frost

Color Options

Finish

Lamp

Mounting

CR-FR

SN

X3

M

BZ bronze

PN polished nickel

SN satin nickel

M monopoint canopy

R monorail adapter

C cable adapter

J EZ jack

Kitchen Doppio

Crystal clear outer glass with frosted inner glass pendant.12V.

Model

PD175

CR-FR clear-frost

Color Options

Finish

Lamp

Mounting

CR-FR

SN

X3

M

BZ bronze

PN polished nickel

SN satin nickel

M monopoint canopy

R monorail adapter

C cable adapter

J EZ jack

Kitchen Doppio

Crystal clear outer glass with frosted inner glass pendant.12V.

Model

PD175

CR-FR clear-frost

Color Options

Finish

Lamp

Mounting

CR-FR

SN

X3

M

BZ bronze

PN polished nickel

SN satin nickel

M monopoint canopy

R monorail adapter

C cable adapter

J EZ jack



Ice

Mouth Blown Murano crystal clear glass. Acid etched top for lamp image diffusion.12V.

Model PD105			
COMPLEMENT: wall p199			
CR clear		L2 LED G4 JC 2W	
		X3 GY6.35 Xenon 35W	
Color Options	Finish	Lamp	Mounting
CR	SN	X3	M
	BZ bronze		M monopoint canopy
	PN polished nickel		R monorail adapter
	SN satin nickel		C cable adapter
			J EZ jack



Nautilus

Beautiful Murano blown glass with inlaid genuine silver and gold flakes and unique swirl optic.12V.

Model PD111			
COMPLEMENT: wall p183			
LV lava		D5 LED MR16 5W	
MO mocha		L2 LED G4 JC 2W	
OP opal		M3 MR16 Halogen 35W	
RD red		X3 GY6.35 Xenon 35W	
Color Options	Finish	Lamp	Mounting
MO	SN	X3	M
	BZ bronze		M monopoint canopy
	PN polished nickel		R monorail adapter
	SN satin nickel		C cable adapter
			J EZ jack



Shown:
(3) PD206RDSND5M, Iris Action Pendants in Red. 12V.

Iris Action

This low voltage mini pendant is accessorized with a blown glass frit shield imbued beautifully with iris coating that adds a unique metallic appearance within each glass shade.12V.

Model
PD206

BG blue-green
RD red
TO tortoise

Color Options

RD

Finish

SN

Lamp

D5

Mounting

M

COMPLEMENT:
heads p75,
83, 85
wall monorail
p46, 49

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

D5 LED MR16 5W
M3 MR16 Halogen 35W

Vitrea Action

This low voltage mini pendant is accessorized with crystal clear amber, blue and clear glass shades.

Also available in a nice frost shade option.12V.

Model
PD202

AM amber
BU blue
CR clear
FR frost

Color Options

AM

Finish

PN

Lamp

M3

Mounting

M

COMPLEMENT:
heads p75,
83, 85
wall monorail
p46, 49

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

D5 LED MR16 5W
M3 MR16 Halogen 35W

Low Voltage Pendants

113 stonelightning.net

Shown:
(4) PD158RDSNX1M
Poppy Pendants in Red. 12V.



Poppy

Organic mini pendant
Italian glass.12V.

Model PD158	AM amber			 L2 LED G4 JC 2W  X1 G4 Xenon 10W
	BU blue			
	CR clear			
	RD red			
	Color Options	Finish	Lamp	Mounting
	CR	SN	X1	M
		BZ bronze		M monopoint
		PN polished nickel		R monorail
		SN satin nickel		C cable adapter
				J EZ jack





Onyx Cylinder

Genuine white mosaic Marble and Onyx cylinders.12V.

Model PD132			
MBMS marble mosaic			
ONMS onyx mosaic			
ON onyx			
		L5	LED G6.35 6W
		X3	GY6.35 Xenon 35W
Color Options	Finish	Lamp	Mounting
ON	SN	X3	M
BZ bronze		M monopoint canopy	
PN polished nickel		R monorail adapter	
SN satin nickel		C cable adapter	
		J EZ jack	



Onyx Teardrop

Genuine Onyx teardrop.12V.

Model PD131			
ON onyx			
		L5	LED G6.35 6W
		X3	GY6.35 Xenon 35W
Color Options	Finish	Lamp	Mounting
ON	SN	X3	M
BZ bronze		M monopoint canopy	
PN polished nickel		R monorail adapter	
SN satin nickel		C cable adapter	
		J EZ jack	



Milano

Mouth blown Murano glass with mille fiore glass fusion and silver flakes. 12V.

Model
PD128

AM amber
BU blue
MO mocha
OP opal
RD red

L5 LED G6.35 6W
 X3 GY6.35 Xenon 35W

COMPLEMENT:
wall p189

Color Options	Finish	Lamp	Mounting
RD	SN	X3	M
	BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack




Droplets

Multiple tear shaped droplets of Italian glass. 12 V.

Model PD102	AM amber		D5 LED MR16 5W	
	CR clear		M3 MR16 Halogen 35W	
 COMPLEMENT: wall p183	Color Options	Finish	Lamp	Mounting
	AM	SN	M3	M
		BZ bronze		M monopoint canopy
		PC polished chrome		R monorail adapter
		PN polished nickel		C cable adapter
		SN satin nickel		J EZ jack

Mercury Falling

Chromed ball chain in varied lengths. 12V.



Model

PD181



COMPLEMENT:

wall p201

Finish

PC

Lamp

M3

Mounting

M

D5 LED MR16 5W

M3 MR16 Halogen 35W

PC polished chrome

M monopoint canopy

R monorail adapter

C cable adapter

J EZ jack



Shown:
(3) PD223CRPCLEDM
Jazz Crystal Pendants
Swarovski Crystal

120

Jazz Venti Crystal

LED illuminated octagonal
Swarovski Crystal Pendants.



Jazz Crystal

LED illuminated octagonal
Swarovski Crystal Pendants.

Model
PD224



CR	clear	LED	LED 5.88W Linear 3000K
Color Options	Finish	Lamp	Mounting
CR*	PC	LED	M
	PC polished chrome		M monopoint canopy R monorail adapter C cable adapter J EZ jack

Model
PD223



CR	clear	LED	LED 2.8W Linear 3000K
Color Options	Finish	Lamp	Mounting
CR*	PC	LED	M
	PC polished chrome		M monopoint canopy R monorail adapter C cable adapter J EZ jack

* Photo shows fixture with clear Swarovski crystals.
For any of the colored Swarovski crystals shown, indicate
your choice and consult factory for availability and pricing.



Shown:
 (7) PD224CRPCLEDJ
 Mounted on a CPEJRN7SN
 Jazz Venti Crystal Pendants
 Mounted on a 7 Light EZ Jack
 Multi-Light Canopy (SN)



Jazz Crystal

LED illuminated octagonal
 Swarovski Crystal Pendants.



Shown:
(3) PD178CRPNM5M
Rock Candy Pendants, 12V.



Rock Candy

Swarovski crystals uniquely hang horizontally from stainless steel cables to create this beautiful pendant. 12V.

* Photo shows fixture with clear Swarovski crystals.
For any of the colored Swarovski crystals shown, indicate your choice and consult factory for availability and pricing.

Model PD178			
CR clear		D5 LED MR16 5W	
		M5 MR16 Halogen 50W	
Color Options	Finish	Lamp	Mounting
CR*	PN	M5	M
PN polished nickel		M monopoint canopy	
		R monorail adapter	
		C cable adapter	
		J EZ jack	





Ridge Crystal

Pristine handworked Austrian pure leaded crystal.

Model
PD043

AM amber
CG cognac
CR clear

COMPLEMENT:
wall p197

Color Options	Finish	Lamp	Mounting
CR	SN	X2	M

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



L2 LED G4 JC 2W



N3 MR11 Halogen 35W



X2 G4 Xenon 20W

Marte

Transparent blown glass with dollups of crystal glass.12V.

Model
PD156

AM amber
CR clear

COMPLEMENT:
wall p199

Color Options	Finish	Lamp	Mounting
CR	SN	X3	M

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



L2 LED G4 JC 2W



X3 GY6.35 Xenon 35W

127 stonelight.net



Shown:
(1) CPEJRN13SN
13 Light EZ Jack Canopy
(13) PD091CRSNX2J
Gracie Pendants in Clear



Elise Crystal
Pristine crystal glass pendant. 12V.

Model PD065	AB prismatic CG cognac FR frost	L2 LED G4 JC 2W N3 MR11 Halogen 35W	
	Color Options	Finish	Lamp
	CG	SN	N3
COMPLEMENT: wall p216		BZ bronze PN polished nickel SN satin nickel	M monopoint canopy R monorail adapter C cable adapter J EZ jack



Gracie Crystal
Pristine crystal glass sphere. 12V.

Model PD091	CG cognac CR clear	L2 LED G4 JC 2W X2 G4 Xenon 20W	
	Color Options	Finish	Lamp
	CR	SN	X2
		BZ bronze PN polished nickel SN satin nickel	M monopoint canopy R monorail adapter C cable adapter J EZ jack



Tyme Crystal

Pristine handworked Austrian pure leaded crystal cube.



Model
PD063

AB prismatic
CG cognac

COMPLEMENT:
wall p216

L2 LED G4 JC 2W
N3 MR11 Halogen 35W
X2 G4 Xenon 20W

Color Options	Finish	Lamp	Mounting
CG	SN	X2	M
BZ	PN		M
			R
			C
			J

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Peak Crystal

Pristine handworked Austrian pure leaded crystal.



Model
PD038

AM amber
CG cognac
CR clear

COMPLEMENT:
wall p197

L2 LED G4 JC 2W
X2 G4 Xenon 20W

Color Options	Finish	Lamp	Mounting
CG	SN	X2	M
BZ	PN		M
			R
			C
			J

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Shown:
(3) PD173SNN3M
Piston Satin Nickel Pendants.12V.



Piston

Perfectly finished cylinder with MR11 lamping makes this pendant a perfect compliment for any contemporary vision.12V.

Model
PD173

- <1 D3 LED MR11 GU4 3W
- <1 N3 MR11 Halogen 35W

COMPLEMENT:
heads p91

Finish	Lamp	Mounting
SN	N3	M

- PN polished nickel
- SN satin nickel
- M monopoint canopy
- R monorail adapter
- C cable adapter
- J EZ jack



Spectra
Beautiful reflective
dichroic glass shade.

Model
PD207



COMPLEMENT:
heads p84,
wall p205

RE reflex

Color Options

RE

Finish

SN

Lamp

X3

Mounting

M

PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

⌚ L2 LED G4 JC 2W
⌚ M3 MR16 Halogen 35W
⌚ X3 GY6.35 Xenon 35W



Cirrus
Crystal inner diffuser with crystal
clear outer swirl optic diffuser.

Model
PD183

CR clear

Color Options

CR

Finish

PN

Lamp

X2

Mounting

M

PN polished nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

⌚ L2 LED G4 JC 2W
⌚ X2 G4 Xenon 20W





Shown:
(2) PD118OPSNX5M
Rogallo Pendants in Opal

Gauss

Large cased opal cylinder with swirl optic.



Model PD186			
OP opal			
L5 LED G6.35 6W X5 GY6.35 Xenon 50W			
Color Options	Finish	Lamp	Mounting
OP	SN	L5	M
BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	



Rogallo

Large opal white cased blown glass with decorative random white swirl design.

Model PD118			
OP opal			
L5 LED G6.35 6W X5 GY6.35 Xenon 50W			
Color Options	Finish	Lamp	Mounting
OP	SN	X5	M
BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	

Muna

Large textured opal pendant with subdued dichroic coating.



Model PD191			
OP opal			
L5 LED G6.35 6W X5 GY6.35 Xenon 50W			
Color Options	Finish	Lamp	Mounting
OP	SN	L5	M
BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	

COMPLEMENT:
wall p190



Shown:
(2) PD185OPSNX3M
Java Pendants in Opal



AM

7.75"

4.25"

MO

OP

RD

Java

Cased blown glass
with swirl optic.

Model			
PD185			
AM amber MO mocha OP opal RD red			
		L5 LED G6.35 6W X3 GY6.35 Xenon 35W	
Color Options	Finish	Lamp	Mounting
AM	SN	X3	M
BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	



Shown:
(2) PD174OPSNX5M, Spun Pendants in Opal . 12V.

Spun

Mouth blown frosted glass wrapped with bands of crystal glass.12V.



Model PD174			
AM amber OP opal		L5 LED G6.35 6W X5 GY6.35 Xenon 50W	
Color Options	Finish	Lamp	Mounting
OP	SN	X5	M
BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	

Swirl

Mouth blown Murano glass with unique swirl pattern.12V.



Model PD166			
LV lava OP opal RD red		L5 LED G6.35 6W X3 GY6.35 Xenon 35W	
Color Options	Finish	Lamp	Mounting
OP	SN	X3	M
BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	

Duomo Action

Mini low voltage pendant with solid metal shield.12V



Model
PD201

COMPLEMENT:
heads p73,
81, 86
wall monorail
p46, 49

Finish	Lamp	Mounting
SN	M3	M
BZ		M
PN		R
SN		C
		J

COMPLEMENT:
heads p73,
81, 86
wall monorail
p46, 49

BZ bronze
PN polished nickel
SN satin nickel

D5 LED MR16 5W
M3 MR16 Halogen 35W

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Murano Action

Mouth blown Murano cylinder with genuine gold flakes.12V.



Simple Action

Transparent mouth blown cylinders.12V.



Model
PD205

COMPLEMENT:
heads p73,
78, 87
wall p203, 206
wall monorail
p49

Color Options	Finish	Lamp	Mounting
FR	SN	M3	M
	BZ		M
	PN		R
	SN		C
			J

COMPLEMENT:
heads p73,
78, 87
wall p203, 206
wall monorail
p49

AM amber
BU blue
CR clear
FR frost

D5 LED MR16 5W
M3 MR16 Halogen 35W

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Model
PD203

COMPLEMENT:
heads p77,
78, 87
wall p203, 207
wall monorail
p49

Color Options	Finish	Lamp	Mounting
RD	PN	M3	M
	BZ		M
	PN		R
	SN		C
			J

COMPLEMENT:
heads p77,
78, 87
wall p203, 207
wall monorail
p49

AM amber
BU blue
MO mocha
RD red

D5 LED MR16 5W
M3 MR16 Halogen 35W

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Shown:
(8) PD180RDSNX3M
Konos Pendants in Red

Konos

Mouth blown cased cones.12V.



Model PD180			
AM amber BU blue RD red			
L5 LED G6.35 6W X3 GY6.35 Xenon 35W			
Color Options	Finish	Lamp	Mounting
BU	PN	X3	M
BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	

Lenox

Blown duplex cased glass.12V.



Model PD172			
OP opal			
L2 LED G4 JC 2W X3 GY6.35 Xenon 35W			
Color Options	Finish	Lamp	Mounting
OP	PN	X3	M
BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	

COMPLEMENT:
wall p195

Luma

Cobalt blue, dark amber and frosted blown glass pendants. 12V.



Model
PD184

AM dark amber
BU cobalt blue
FR frost

L5 LED G6.35 6W
X5 GY6.35 Xenon 50W

COMPLEMENT:
wall p205

Color Options	Finish	Lamp	Mounting
FR	SN	X5	M

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Caramel

Transparent blown glass with iris hand decoration. 12V.



Model
PD164

AM amber
BU blue
CR clear

L2 LED G4 JC 2W
X3 GY6.35 Xenon 35W

Color Options	Finish	Lamp	Mounting
BU	SN	X3	M

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Tube

Transparent Italian blown glass cylinder with inner borosilicate glass tube. Also available in opal-cased glass.



Model
PD133

AM transparent amber
BU transparent blue
CR clear
FR frost
OP opal

X3 GY6.35 Xenon 35W

Color Options	Finish	Lamp	Mounting
OP	SN	X3	M

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack

Magic Doppio

Transparent cobalt blue, opal and amber blown glass inner layer fits for a visually beautiful effect inside a crystal clear transparent outer blown glass.

Model
PD109

AM amber
BU blue
OP opal

L2 LED G4 JC 2W
X2 G4 Xenon 20W

Color Options	Finish	Lamp	Mounting
BU	SN	X2	M

BZ bronze
PN polished nickel
SN satin nickel

M monopoint canopy
R monorail adapter
C cable adapter
J EZ jack



Shown:
(3) PD101TOSNM3M
Whisper Pendants in Tortoise. 12V.

Whisper

Colorful frit and iris imbued
blown Italian glass.12V.



Model PD101	AM	transparent amber		
	BG	blue-green		
	OP	opal		
	RD	red		
	TO	tortoise		
 COMPLEMENT: wall p191			L5	LED G6.35 6W
			M3	MR16 Halogen 35W
			X3	GY6.35 Xenon 35W
Color Options		Finish	Lamp	Mounting
RD		SN	M3	M
		BZ	bronze	M
		PN	polished nickel	R
		SN	satin nickel	C
				J

Tide

Organic blown Murano glass
with crystal lip wraps.12V.



Model

PD104

MO mocha

OP opal

SW amber-black swirl

TO tortoise

 D5 LED MR16 5W

 L5 LED G6.35 6W

 X5 GY6.35 Xenon 50W



COMPLEMENT:
wall p187

Color Options	Finish	Lamp	Mounting
TO	SN	X5	M
	BZ bronze		M monopoint canopy
	PN polished nickel		R monorail adapter
	SN satin nickel		C cable adapter
			J EZ jack



Krypto

Double envelope unique textured italian glass pendant. 12V.

Model PD217			
AM amber BU blue CR clear			
D5 LED MR16 5W M3 MR16 Halogen 35W			
Color Options	Finish	Lamp	Mounting
BU	SN	M3	M
BZ bronze PN polished nickel SN satin nickel			
M monopoint canopy R monorail adapter C cable adapter J EZ jack			

COMPLEMENT:
heads p79, 88
wall p204, 206



Shown:
(1) PD218AMBZM3M
Rocker Pendant in Bronze



Rocker

Double envelope unique textured italian glass pendant. 12V.

Model PD218			
AM amber BU blue CR clear			
D5 LED MR16 5W M3 MR16 Halogen 35W			
Color Options	Finish	Lamp	Mounting
AM	SN	M3	M
BZ bronze PN polished nickel SN satin nickel			
M monopoint canopy R monorail adapter C cable adapter J EZ jack			

COMPLEMENT:
heads p79, 88
wall p204, 207




Wand

Mouth blown clear Italian glass wands.12V.

Model PD107			
AM amber BU blue OP opal			
L2 LED G4 JC 2W X2 G4 Xenon 20W			
Color Options	Finish	Lamp	Mounting
OP	SN	X2	M
BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	

Stilo

Mouth blown clear Italian organically twisted tails.12V.



Model PD159			
AM amber BU blue OP opal			
L2 LED G4 JC 2W X2 G4 Xenon 20W			
Color Options	Finish	Lamp	Mounting
AM	SN	X2	M
BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	

Shown:
(1) CPEJRN7SN
7 Light EZ Jack Canopy
(7) PD116AMSNM3J
Optics Pendants in Amber. 12V.



Optics

Mouth blown transparent glass spheres with internal optics that create an elegant glass distortion.12V.



Model PD116			
AM amber BU blue CR clear			
Color Options		Finish	Lamp
AM		SN	M3
BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	

Optics Fizz

Mouth blown frosted glass spheres with random bubbles for a unique look.12V.



Model PD177			
AM amber BU blue OP opal			
Color Options		Finish	Lamp
OP		SN	M3
BZ bronze PN polished nickel SN satin nickel		M monopoint canopy R monorail adapter C cable adapter J EZ jack	



Shown:
(3) PD161WH-SND7M
Hadron in White LED MR16

Castle

Mini industrial metal shade
pendant.12V.



Model PD230			
COMPLEMENT: wall p214			
		D5 LED MR16 5W M3 MR16 Halogen 35W	
Finish	Lamp	Mounting	
PN	M3	M	
BZ	bronze	M	
PN	polished nickel	R	
SN	satin nickel	C	
		J	
		EZ jack	

Hadron

Frosted Acrylic. LED MR16's. 12V.

The frosted cylinder's color is dictated
by the LED lamp. When not illuminated
it is frosted opal in color.



Model PD161			
Color Options			
AM	amber*	D7 LED MR16 7W	
GR	green*		
RD	red*		
WH	white*		
WH*	SN	D7	M
	PN	polished nickel	M
	SN	satin nickel	R
			C
			J
			EZ jack

*Specify desired LED colored MR16

Chandeliers Collection

Shown:
(1) CH513CRPNGM5
Cascade Chandelier

Chandeliers Collection

Stone Lighting presents new, exciting chandeliers. These can be the focal point of a hotel lobby, home, office, restaurant, bar or commercial environment. Our chandeliers range from sleek contemporary designs with mouth-blown European glass to traditional designs.

Custom chandeliers are available. Please consult your Stone Lighting sales Rep or factory.





Cascade

Cascading clear blown glass balls in varied sizes simple hook on strand assembly.**

Model CH513			CR clear			* GM5 GU10 120V MR16 3x50W * GL5 LED GU10 3x5W		
Color Options			Finish			Lamp		
CR			PC			GM5*		
			PC polished chrome					

*Consult factory for LED white and colored LED lamps.
**Consult factory for customized strand lengths.



Rain

Multi-tiered clear blown glass teardrops in varied sizes. Adjustable hanging height.

Consult factory for Amber or Cobalt Blue teardrop options

Model CH514			CR clear			* MB6 Medium Base Incandescent 2x60W		
Color Options			Finish			Lamp		
CR			SN			MB6		
			SN satin nickel					

Shown:
(2) CH512CRPNCN6
Kilo Chandeliers



Pompeii Suspension

Elegant large scale white marble bowls.
One piece and mosaic construction.

Model
CH510

MB marble
MBMS marble mosaic

CF26 Compact Fluorescent GU24 3x26W
MC10 Minican 100W Halogen

COMPLEMENT:
ceiling p252

Color Options	Finish	Lamp
MB	SN	MC15
	BZ bronze	
	SN satin nickel	



Kilo

Elegant crystal glass globe and classic
candelabra assembly floating inside.
Beautiful polished nickel metal accents.

Model
CH512

CR clear

CN6 Candelabra Base 60W

Color Options	Finish	Lamp
CR	PN	CN6

PN polished nickel

Consult factory for custom chain lengths



Shown:
(1) CH502OPBZMC15
Neptune Suspension Large
in Opal



COMPLIMENT:
ceiling p248,
249

Models	Color Options	Finish	Lamp
Neptune CH501 Neptune Large CH502	AM LV MO OP RD	SN BZ SN	MC15
*CF13 only Neptune CH501 **CF26 only Neptune CH502			



Punto Zero Four Head Chandelier

Each head has 2x5 watts of LED illumination, total 40 watts.

Push-button field adjustable cables.

CH516CHCOB40



Bella Donna Chandelier

Beautiful hand blown glass with dichroic coating 50 watts of LED illumination:
25 watts uplight
25 watts downlight

Push-button field adjustable cables.

CH515CHCOB50



Shown:
(1) CH515CHCOB50
Bella Donna Chandelier



Shown:
(1) CH516CHCOB40
Punto Zero 4 Head
Chandelier

168



Shown:
(15) PD129CRX2R
Bubbles Pendants in Clear
(4) DB200SNM5R
Bare Snap Swivels (SN),
(1) MSRLSP48SN
48" Monorail Spiral.

Chandeliers Collection

169

stoneighting.net



Shown:
 (1) CPEJRN13SN
 13 Light EZ Jack Canopy
 (13) PD091CRSNX2J
 Gracie Pendants in Clear

Shown:
 (7) PD224CRPCLEDJ
 Jazz Venti Crystal Pendants
 Mounted on a CPEJRN7SN
 7 Light EZ Jack
 Multi-Light Canopy (SN)
 See page 121 for custom
 color crystal options



Top 13 Chandelier

13 light elegant chandelier ships exactly as shown. Customizable versions available. Consult factory.

Shown:
(1) CH5077FRSNX3J, Top 13 Chandelier in Frost



Top 1, 2, 3, 13

Amber and frosted borosilicate Italian glass tubes.

Tubes easily assemble and are suspended on parallel metal rods.

TOP

AM amber

FR frost

L2 LED G4 JC 2W

X2 G4 Xenon 20W

Models	Color Options	Finish	Lamp	Mounting
Top 1 CH5071	FR	SN	X2	J
Top 2 CH5072		BZ bronze		M monopoint canopy
Top 3 CH5073		SN satin nickel		R monorail adapter
Top 13 Chandelier CH5077				C cable adapter
				J EZ jack



174

Shown:
(25) PD157BSNRT4J
Retro Edison Style Lamp on
a 25 Light Line Voltage Canopy
CPLVSQ25SN



Shown:
(1) CPEJRN7SN
7 Light EZ Jack Canopy
(7) PD110CRSNX2J
Dewdrop Pendants in Clear

Chandeliers Collection


Wall Collection

Stone Lighting's Wall Collection offers a wide variety of functional and beautiful luminaries that define and complement any space.

Blown glass, solid brass castings, Swarovski and clear leaded crystal, combine with unique metal designs, together to provide a practical and beautiful solution for virtually any wall application.



Shown:
(18) WS235MOBZQ13
Avenue Open 6x6
in Mocha



Avenue Complete

Rectangular light box with Murano blown glass front panel and side panels.

Front panel has a unique band of colorful frits and genuine silver flakes.

MO



8"
Wall projection 5"

AM



RD



OP



Avenue Open 6x6

Six inch by six inch open light box with blown Murano glass front panel.

Has a unique band of colorful frits and genuine silver flakes.

Light throws a unique wall washing light pattern.



6"
Wall projection 3.5"

Model
WS232

AM amber
MO mocha
OP opal
RD red

L5 LED G6.35 6W
MC5 Minican 50W
Q13 Compact Fluorescent Quad 13W
COB5 SL-COB 5W
Stone Lighting LED Chip on Board

Color Options	Finish	Lamp
MO	SN	Q13

BZ bronze
PN polished nickel
SN satin nickel

ADA
COMPLIANT



Model
WS233

AM amber
MO mocha
OP opal
RD red

L5 LED G6.35 6W
MC5 Minican 50W
Q18 Compact Fluorescent Quad 18W
COB10 SL-COB 10W
Stone Lighting LED Chip on Board

Color Options	Finish	Lamp
OP	SN	Q18

BZ bronze
PN polished nickel
SN satin nickel

COMPLEMENT:
ceiling p245



Shown:
(2) WS110CRPNX2
Dew Drop Wall in Clear

Dew Drop

Large transparent droplets of blown glass with randomly placed smaller crystal clear droplets of glass fused down the length of the glass.

ADA
COMPLIANT

Model		
WS110		
AM	amber	L2 LED G4 JC 2W
CR	clear	X2 G4 Xenon 20W
Color Options		
AM	PN	X2
COMPLEMENT: pendants p107		
Finish		
BZ	bronze	
PN	polished nickel	
SN	satin nickel	



Spun

Blown glass with crystal clear banding of delicate wrapped glass.

Model		
WS174		
AM	amber	L5 LED G6.35 6W
OP	opal	X5 GY6.35 Xenon 50W
Color Options		
AM	PN	X5
COMPLEMENT: pendants p141		
Finish		
BZ	bronze	
PN	polished nickel	
SN	satin nickel	






Shown:
(1) WS111MOBZX3
Nautilus Wall in Mocha

Nautilus

Murano glass spheres with spin optic and genuine silver and gold flakes imbued within glass.



Model WS111	LV lava	 L2 LED G4 JC 2W  X3 GY6.35 Xenon 35W	
	MO mocha		
	OP opal		
	RD red		
 COMPLEMENT: pendants p111	Color Options	Finish	Lamp
	RD	SN	X3
		BZ bronze	
		PN polished nickel	
		SN satin nickel	



Acorn

Dark amber and crystal clear Murano glass with hand pinched decorative lip wraps.



Model

WS155

AM amber

CR clear

L2 LED G4 JC 2W

X3 GY6.35 Xenon 35W

Color Options

Finish

Lamp

AM

PN

X3

COMPLEMENT:

pendants p94

BZ bronze

PN polished nickel

SN satin nickel

Droplets

Amber or clear Murano glass droplets.



Model

WS102

 D5 LED MR16 5W

 M3 MR16 Halogen 35W

 AM amber

 CR clear



COMPLEMENT:

pendants p119

Color Options

Finish

Lamp

CR

SN

M3

PN polished nickel

SN satin nickel



Shown:
(2) WS151AMBZX3
Stalactite Classic in Amber

Stalactite Classic

Opale and amber frit and clear with crystal clear tips.

Classic solid cast arm and back plate.



Model WS151	AM amber	L5 LED G6.35 6W (amber, opal only)	
	CR clear	N3 MR11 Halogen 35W (clear only)	
	OP opal	X3 GY6.35 Xenon 35W (amber, opal only)	
COMPLEMENT: pendants p97	Color Options	Finish	Lamp
	CR	PN	X3
	BZ bronze PN polished nickel SN satin nickel		

Crystal Rectangle

Frosted crystal glass rectangular cylinders.



Model WS222	CR clear	L2 LED G4 JC 2x2W	
		X2 G4 Xenon 2x20W	
COMPLEMENT: pendants p98, bath p220, 222	Color Options	Finish	Lamp
	CR	SN	X2
	BZ bronze PN polished nickel SN satin nickel		



Shown:
(2) WS104SWBZX5
Tide Wall in Amber-Black Swirl

Tide

Murano glass with crystal lips wraps.



Model WS104	MO	mocha	L5	LED G6.35 6W
	OP	opal		
	SW	amber-black swirl		
	TO	tortoise		
Color Options	TO	SN	X5	GY6.35 Xenon 50W
Finish	SN	X5	BZ	bronze
Lamp	X5	PN	polished nickel	SN

COMPLEMENT:
pendants p149

Crystal Cylinder

Frosted glass cylinders.

ADA
COMPLIANT

Model WS221	CR	clear	L2	LED G4 JC 2x2W
	CR	CR		
	CR	SN		
	CR	SN		
Color Options	CR	SN	X2	G4 Xenon 2x20W
Finish	SN	X2	BZ	bronze
Lamp	X2	PN	polished nickel	SN

COMPLEMENT:
pendants p98
bath p 220, 222





Shown:
(2) WS128OPPNX5
Milano Wall in Opal



BU



OP



MO

10"

4.25"

Wall projection 5"



AM



RD

Milano

Murano blown glass wall sconces with exquisite millefiore glass accents and genuine silver flakes.

Model
WS128

AM amber
BU blue
MO mocha
OP opal
RD red

L5 LED G6.35 6W
X5 GY6.35 Xenon 50W

COMPLEMENT:
pendants p118

Color Options	Finish	Lamp
MO	SN	X5

BZ bronze
PN polished nickel
SN satin nickel

Shown:
(2) WS191OPSNQ18
Muna Wall in Opal

A modern hotel room with a large bed, a daybed, and a round table. The room has a wooden ceiling and a large window with curtains. The bed has a brown headboard and white linens. The daybed is dark wood with a white cushion. The round table is dark wood with a white top. The room is lit with warm lights.

Model WS152	AM amber CR clear OP opal	L5 LED G6.35 6W (amber, opal only) N3 MR11 Halogen 35W (clear only) X3 GY6.35 Xenon 35W (amber, opal only)
	Color Options AM	Finish SN
 COMPLEMENT: pendants p97	Lamp X3	BZ bronze PN polished nickel SN satin nickel

190

Model
WS191

Power
G940 G9 40W 120V

Light Source
Q18 Compact Fluorescent Quad 18W
COB10 SL-COB 10W

Features
Stone Lighting LED Chip on Board

Color Options	Finish	Lamp
OP	SN	Q18

COMPLEMENT:
nine voltage p233
pendants p137

Three teardrop-shaped light fixtures are shown side-by-side, each mounted on a circular wall plate with a brass-colored hook. The first fixture, labeled 'OP', has a plain white, opaque glass body. The second fixture, labeled 'BG', has a blue glass body with orange and yellow marbled patterns. The third fixture, labeled 'TO', has a glass body with a fiery orange and yellow pattern, resembling a sunset or flames.

Model WS101	AM	transparent amber	
	BG	blue-green	
	OP	opal	
	RD	red	
	TO	tortoise	
			↔ X3 GY6.35 Xenon 35W
COMPLEMENT: pendants p149	Color Options	Finish	Lamp
	RD	SN	X3
		BZ	bronze
		PN	polished nickel
		SN	satin nickel

AM RD

9"

4.25"

Wall projection 5"



Shown:
(2) WS229BCRPNX3
Eldora Long Wall in Clear

Eldora

Frosted and clear glass blown cylinders on linear wall bracket.

Model		
WS229A		
CR	clear	L2 LED G4 JC 2W
FR	frost	X3 GY6.35 Xenon 35W
Color Options	Finish	Lamp
CR	SN	X3
	BZ	bronze
	PN	polished nickel
	SN	satin nickel



Eldora Long

Frosted and clear glass blown cylinders on torch like linear bracket.

Model		
WS229B		
CR	clear	L2 LED G4 JC 2W
FR	frost	X3 GY6.35 Xenon 35W
Color Options	Finish	Lamp
CR	SN	X3
	BZ	bronze
	PN	polished nickel
	SN	satin nickel





Shown:
(1) WS172BOPPNX3
Lenox 18 Wall in Opal

Lenox 9

Fire polished opale white duplex glass on a linear arm bracket.

Model
WS172A

OP opal

COMPLEMENT:
pendants p145

Color Options	Finish	Lamp
OP	BZ	X3
BZ bronze PN polished nickel SN satin nickel		

L2 LED G4 JC 2W

X3 GY6.35 Xenon 35W



Lenox 18

Fire polished opale white duplex glass on a long linear arm bracket.

Model
WS172B

OP opal

COMPLEMENT:
pendants p145

Color Options	Finish	Lamp
OP	PN	X3
BZ bronze PN polished nickel SN satin nickel		

L2 LED G4 JC 2W

X3 GY6.35 Xenon 35W



Jazz Venti



4.25"
Wall projection 4.5"

Jazz Crystal



10"
Wall projection 3"

Model
WS223

Jazz
Crystal

COMPLEMENT:
pendants p121

CR clear

Color Options	Finish	Lamp
CR*	PC	LED

PC polished chrome

LED 2.8W Linear 3000K

ADA
COMPLIANT

Model
WS224

Jazz Venti
Crystal

COMPLEMENT:
pendants p121

CR clear

Color Options	Finish	Lamp
CR*	PC	LED

PC polished chrome

LED 5.9W Linear 3000K

* Photo shows fixture with clear Swarovski crystals.
For any of the colored Swarovski crystals shown,
indicate your choice and consult factory
for availability and pricing.

Jazz

LED crystal wall sconce. Swarovski crystal
makes this design beautiful and brilliant.
Mounts horizontal or vertical.

Ridge Crystal

Pristine handworked Austrian
pure leaded crystal.



4.5"
Wall projection 4.75"

Model
WS043

AM amber
CG cognac
CR clear

COMPLEMENT:
pendants p126

Color Options	Finish	Lamp
CR	SN	X2

L2 LED G4 JC 2x2W
X2 G4 Xenon 2x20W

BZ bronze
PN polished nickel
SN satin nickel

Peak Crystal

Pristine handworked Austrian
pure leaded crystal.



5"
Wall projection 4.5"

Model
WS038

AM amber
CG cognac
CR clear

COMPLEMENT:
pendants p130

Color Options	Finish	Lamp
AM	SN	X2

L2 LED G4 JC 2x2W
X2 G4 Xenon 2x20W

BZ bronze
PN polished nickel
SN satin nickel





Shown:
(2) WS105CRSNX3
Ice Wall in Clear

Ice

Icicle like crystal clear blown glass with frosted area to hide and diffuse lamp image.

Model WS105			L2 LED G4 JC 2W
CR clear			X3 GY6.35 Xenon 35W
Color Options	Finish	Lamp	
CR	SN	X3	
COMPLEMENT: pendants p110			BZ bronze PN polished nickel SN satin nickel



Marte

Organic handblown spheres with dollops of clear glass placed around sphere.

Model WS156			L2 LED G4 JC 2W
AM amber CR clear			X3 GY6.35 Xenon 35W
Color Options	Finish	Lamp	
AM	SN	X3	
COMPLEMENT: pendants p127			BZ bronze PN polished nickel SN satin nickel





Shown:
(2) WS181PNM3
Mercury Falling Wall

Mercury Falling

Varied polished ball chain lengths create this unique retro wall sconce.

Model
WS181

COMPLEMENT:
pendants p119

Finish	Lamp
PC	M3
PN	
SN	

D5 LED MR16 5W
M3 MR16 Halogen 35W

PC polished chrome
PN polished nickel
SN satin nickel



Bubbles

Blown glass spheres with bubble optic pattern.

Model
WS129

COMPLEMENT:
pendants p105

Color Options	Finish	Lamp
BU	SN	X2
CR		
	BZ	
	PN	
	SN	

L2 LED G4 JC 2W
X2 G4 Xenon 20W

BZ bronze
PN polished nickel
SN satin nickel





Shown:
(2) WSF200PNM5
Wall Focus Swivel MR16



Wall projection 7"



Murano Focus

Solid brass wall swivel with blown Murano glass cylinders imbued with real gold flakes.

Offers 360 degree rotation set by mounting position and 270 degree tilt.

Model
WSF203

AM amber
BU blue
MO mocha
RD red

D5 LED MR16 5W
M5 MR16 Halogen 50W

COMPLEMENT:
heads p77, 78, 87
pendants p143
wall monorail p49

Color Options	Finish	Lamp
BU	PN	M5
BZ	bronze	
PN	polished nickel	
SN	satin nickel	



Wall projection 7"

Bare MR Focus Wall

Solid brass wall swivel.

Offers 360 degree rotation set by mounting position and 270 degree tilt.

Model
WSF200

D5 LED MR16 5W
M5 MR16 Halogen 50W

COMPLEMENT:
heads p80

Finish	Lamp
PN	M5
BZ	bronze
PN	polished nickel
SN	satin nickel



Wall projection 7"



Simple Focus

Solid brass wall swivel with transparent and frost blown glass cylinders.

Offers 360 degree rotation set by mounting position and 270 degree tilt.

Model
WSF205

AM amber
BU blue
CR clear
FR frost

D5 LED MR16 5W
M5 MR16 Halogen 50W

COMPLEMENT:
heads p73, 78, 87
pendants p142
wall monorail p49

Color Options	Finish	Lamp
AM	PN	M5
BZ	bronze	
PN	polished nickel	
SN	satin nickel	



6"

4"

Wall projection 5"



Krypto Focus Swivel

Unique double envelope and textured blown glass wall sconce.



Model
WSF217

AM amber
BU blue
CR clear

L2 LED G4 JC 2W
N3 MR11 Halogen 35W
X3 GY6.35 Xenon 35W



COMPLEMENT:
heads p79, 88
pendants p150

Color Options
CR

Finish
PN

Lamp
N3

BZ bronze
PN polished nickel
SN satin nickel

Spectra Wall

Beautiful reflective dichroic glass shade.

Model
WS207

RE reflex

L2 LED G4 JC 2W
X3 GY6.35 Xenon 35W



COMPLEMENT:
heads p84
pendants p134

Color Options
RE

Finish
PN

Lamp
X3

PN polished nickel
SN satin nickel



6"

4.25"

Wall projection 4.25"



6"

4"

Wall projection 5"



Rocker Focus Swivel

Unique double envelope and textured blown glass wall sconces.



Model
WSF218

AM amber
BU blue
CR clear

L2 LED G4 JC 2W
N3 MR11 Halogen 35W
X3 GY6.35 Xenon 35W



COMPLEMENT:
heads p79, 88
pendants p151

Color Options
CR

Finish
PN

Lamp
N3

BZ bronze
PN polished nickel
SN satin nickel

Luma

Internal frosted blown glass on classic solid brass casted arm.

Model
WS184

AM dark amber
BU cobalt blue
FR frost

L2 LED G4 JC 2W
X3 GY6.35 Xenon 35W



COMPLEMENT:
pendants p146

Color Options
BU

Finish
SN

Lamp
X3

BZ bronze
PN polished nickel
SN satin nickel



10"

5"

Wall projection 8"

Krypto

Unique double envelope and textured blown glass wall sconce.



Model WS217 COMPLEMENT: heads p79, 88 pendants p150	Color Options		Finish	Lamp
	BU		PN	N3
			BZ	bronze
			PN	polished nickel

Model

WS217

COMPLEMENT:
heads p79, 88
pendants p150

Color Options

BU

Finish

PN

Lamp

N3

L2

LED G4 JC 2W

N3

MR11 Halogen 35W

X3

GY6.35 Xenon 35W

BZ

bronze

PN

polished nickel

SN

satin nickel

Murano

Small italian glass cylinders with small gold flakes accent.



Model WS203 COMPLEMENT: heads p77, 78, 87 pendants p143 wall monorail p49	Color Options		Finish	Lamp
	MO		PN	X3
			BZ	bronze
			PN	polished nickel

Model

WS203

COMPLEMENT:
heads p77, 78, 87
pendants p143
wall monorail p49

Color Options

MO

Finish

PN

Lamp

X3

L2

LED G4 JC 2W

N3

MR11 Halogen 35W

X3

GY6.35 Xenon 35W

BZ

bronze

PN

polished nickel

SN

satin nickel

Simple

Transparent and frosted blown glass cylinders.



Model WS205 COMPLEMENT: heads p73, 78, 87 pendants p142 wall monorail p49	Color Options		Finish	Lamp
	BU		SN	D5
			BZ	bronze
			PN	polished nickel

Model

WS205

COMPLEMENT:
heads p73, 78, 87
pendants p142
wall monorail p49

Color Options

BU

Finish

SN

Lamp

D5

D5

LED MR16 5W

M3

MR16 Halogen 35W

BZ

bronze

PN

polished nickel

SN

satin nickel

Rocker

Unique double envelope and textured blown glass wall sconces.



Model WS218 COMPLEMENT: heads p79, 88 pendants p151	Color Options		Finish	Lamp
	CR		PN	X3
			BZ	bronze
			PN	polished nickel

Model

WS218

COMPLEMENT:
heads p79, 88
pendants p151

Color Options

CR

Finish

PN

Lamp

X3

L2

LED G4 JC 2W

N3

MR11 Halogen 35W

X3

GY6.35 Xenon 35W

BZ

bronze

PN

polished nickel

SN

satin nickel



Shown:
(1)WS225FWSNMB4,
Zen with Frosted Acrylic Diffuser.

Regis

Cased white acrylic glass on rectangular backplate.

Model
WS237

OP opal

Color Options

OP

Finish

SN

Lamp

CF26


BZ bronze

PN polished nickel

SN satin nicke

CF26 Compact Fluorescent GU24 26W

MB6 Tubular T10 E26 60W



Wall projection 3.5"

Zen

Knoll textile fabric acrylic shade on square tubing makes an elegant hospitality luminaire solution.

Also available as frosted white acrylic diffuser.



Wall projection 4"

Model
WS225

FW frosted white
TF textile frosted

Color Options

TF

Finish

PN

Lamp

MB4

BZ bronze
PN polished nickel
SN satin nickel

MB4 Medium Base Incandescent 40W
Q13 Compact Fluorescent Quad 2x13W
Q18 Compact Fluorescent Quad 2x18W
COB10 SL-COB 10W
Stone Lighting LED Chip on Board

Omega

Round glass and ribbed diffuser throws a star light pattern on the mounting surface.



Wall projection 3.25"

Model
WS234

CR clear

Color Options

CR

Finish

PC

Lamp

G940

PC polished chrome

G940 G9 40W 120V


G9L3 LED G9 3W





Shown:
(2) WS226MBMSPNG94
Vida Wall in Marble Mosaic.

210



MBMS



ON



ONMS

Vida Wall

Solid brass constructed bracket elegantly holds onyx, mosaic onyx, mosaic white marble, or crystal glass cube diffusers.



ONMS



CR



ON



MBMS

Model
WS226

CR clear-frost crystal
MBMS marble mosaic
ONMS onyx mosaic
ON onyx

Color Options

CR

Finish

PN

BZ bronze
PN polished nickel
SN satin nickel

Lamp

Q13

G920 G9 2x20W 120V*
G940 G9 2x40W 120V
G9L3 LED G9 2x3W
Q13 Compact Fluorescent Quad 13W
COB5 SL-COB 2x5W
Stone Lighting LED Chip on Board

*G920 only marble mosaic (MBMS)



Retro Cylinder

Cased opal, clear and amber glass cylinder envelope a classic period A-Lamp.



Model WS179		COMPLEMENT: ceiling p253, line voltage p237	
Color Options		Finish	Lamp
OP opal		SN satin nickel	CF13
		BZ bronze	
		PN polished nickel	
		SN satin nickel	

* RT4B, Amber and Clear.
* CF13, CF18, Opal Only.

Dim Sum

Industrial period damp location shade on classic socket period classic A-Lamp.



Model WS227		COMPLEMENT: line voltage p236	
Finish		Lamp	
SN satin nickel		RT4B	
		BZ bronze	
		PN polished nickel	
		SN satin nickel	



Wall projection 10.5"



Castle

Classic torch styling. Metal shade on linear wall bracket.



Model WS230		COMPLEMENT: pendants p157	
Finish		Lamp	
BZ bronze		X3	
		PN polished nickel	
		SN satin nickel	

L2 LED G4 JC 2W
X3 GY6.35 Xenon 35W

Retro

Clean and simple industrial period with classic A-Lamp.



Model WS157B		COMPLEMENT: ceiling p253, line voltage p237	
Models		Finish	Lamp
Edison Style*		SN satin nickel	RT4B
Tubular Style**		BZ bronze	
WS157A		PN polished nickel	
		SN satin nickel	

RT4A Medium Base Retro Filament Tube 40W** (Only for WS157A)
RT4B Medium Base Retro Filament Bulb 40W* (Only for WS157B)



Wall projection 5"



Crystal

Pristine crystal cut and polished glass wall sconces.12V.

Crystal



COMPLEMENT:
pendants p99

Models	Color Options	Finish	Lamp
Cube	CR	SN	G940
Cylinder			
WB134			
WB221			
Rectangle			
WB222			

G940 G9 40W 120V
G9L3 LED G9 3W

CR clear

PN polished nickel
SN satin nickel



Tyme Crystal

Pristine handworked Austrian pure leaded crystal cube.

Model
WB063


COMPLEMENT:
pendants p131

Color Options	Finish	Lamp
CG	PN	G940
AB		
CG		
FR		

G940 G9 40W 120V
G9L3 LED G9 3W

AB prismatic
CG cognac

PN polished nickel
SN satin nickel



Elise Crystal

Pristine crystal glass wall sconce. 12V.

Model
WB063


COMPLEMENT:
pendants p129

Color Options	Finish	Lamp
AB	PN	G940
CG		
FR		

G940 G9 40W 120V
G9L3 LED G9 3W

AB prismatic
CG cognac
FR frost

PN polished nickel
SN satin nickel

Optics

Italian clear blown glass sphere with special interior optics that allow for unique light diffusion.

Model
WS116


COMPLEMENT:
pendants p155

Color Options	Finish	Lamp
BU	SN	X3
AM		
BU		
CR		

L2 LED G4 JC 2W
X3 GY6.35 Xenon 35W

AM amber
BU blue
CR clear

BZ bronze
PN polished nickel
SN satin nickel



Optics Fizz

Italian clear blown glass spheres with frosted interior and infused bubbles.

Model
WS177


COMPLEMENT:
pendants p155

Color Options	Finish	Lamp
OP	SN	X3
AM		
BU		
OP		

L2 LED G4 JC 2W
X3 GY6.35 Xenon 35W

AM amber
BU blue
OP opal

BZ bronze
PN polished nickel
SN satin nickel



Shown:
(1) MRRC4836LED
Rectangular illuminated
LED Mirror

Bath Collection

Stone Lighting will make your bathrooms unique in every way with our newest designs of round or rectangular LED mirrors. We also offer beautiful crystal glass bath kits and modular crystal glass bath strips.

Be sure to review our Wall Sconce Section for many more choices in wall luminaires that also work perfectly in any bath atmosphere.



Twin Crystal Cylinder / Rectangular Bath Kits

Stone Lighting's new Bath Monorail Kits offers direct and ambient lighting surrounding any size bathroom mirror. This system is available with Crystal Cylinder Twin heads or Crystal Rectangular Twin heads.

A kit consists of:

- (1) 36" Monorail
- (3) Crystal Cylinder or Crystal Rectangular Twin-Heads
- (2) Adjustable hangers (2.5"to 4" adjustable)
- (1) Set of endcaps
- (1) Remote canopy with power feed
- (1) 60w electronic transformer (for 10w option)
- OR
- (1) 150w electronic transformer (for 20w option)

Canopy Option: A 4" canopy is specified with this kit but we also offer a 2.75" canopy and matching 2" electrical box if customer makes this request.

Note:
Both 2" and 4" electrical box sizes can house the 75W miniature transformer. If you choose 20W lamping instead of 10W, Stone Lighting furnishes a 150W electronic transformer to be mounted remotely. We suggest mounting of this transformer in cabinet under the bathroom counter.

Bathkit


COMPLEMENT:
pendants
p98,
wall
p185, 187

	CR clear		X1 G4 Xenon 10W
			X2 G4 Xenon 20W
Models	Color Options	Finish	Lamp
Cylinder BK221	CR	PN	X1
Rectangle BK222		BZ bronze PN polished nickel SN satin nickel	



Shown:
(2) BK222CRBZX1, Two Twin Rectangular Bath Kits with 2.75" Canopy assembly



Shown:
BB221CRPNX106
Bathbar Cylinder Crystal Clear
with 6 Heads

Modular Bathbar

A heavy duty version of Bath Kits. Thicker gauge hangers and rotation locking fittings. Allow for vertical or horizontal mounting.



COMPLEMENT:
pendants
p98,
wall
p185, 187

Models	Color Options	Finish	Lamp	Heads
Cylinder BB221	CR	PN	X1	06
Rectangle BB222		BZ bronze PN polished nickel SN satin nickel		02 2 heads 10.5" L 04 4 heads 30" L 06 6 heads 42" L

CR clear

X1 G4 Xenon 10W
X2 G4 Xenon 20W*

* 10W Lamp version is shipped with mini transformer which fits neatly in Electrical Box. 20W version is shipped with 150W remote DC transformer where a special location needs to be planned by installer. (Cabinet, closet, behind mirror etc.)



Shown:
MRRC4836LED
Rectangular
illuminated LED Mirror

12V Rectangular illuminated LED Mirror

3000K dimmable warm white LED soft strip lighting surrounds back body of mirror creating an elegant floating effect.

Mirror

Rectangular
MRRC4836LED

Wall projection 2.75"

224



Shown: (1) MRRD28LED, Round illuminated LED Mirror, (2) WB134, Crystal Cube.

12V Round illuminated LED Mirror

Waterproof 3000K dimmable warm white LED soft strip lighting encircles back body of mirror creating an elegant floating effect.

Mirror

Round
MRRD28LED



Shown: MRRD28LEDRGB, RGB Round illuminated LED Mirror.

12V RGB illuminated Mirrors

Round or rectangular mirrors with RGB soft strip LED lighting. Included hand held remote control for dimming and color shifting or setting any color in the entire color spectrum.

Perfect for making a unique and beautiful visual experience in restaurants, bars, night clubs and contemporary residence bathrooms. Also perfect for any hospitality setting.

Mirror

RGB Round
MRRD28LEDRGB

RGB Rectangular
MRRC4836LEDRGB



Remote Control
(Included)

Shown:
(3) PD153APBKMB10
Sack Suspension in Apricot

Line Voltage Suspension

Larger scale cased glass and crystal pendants. Compact Fluorescent, LED and Incandescent lamp choices offer perfect solutions for restaurants, residential and hospitality settings.





Shown:
(3) PD153APBKMB10,
Sack Suspension in Apricot



Gauss

Large cased opale cylinder
with swirl optic. 120V.

Model
PD186

OP opal	LA10 LED A19 10W	MB10 Medium Base Incandescent 100W	CF26 Compact Fluorescent GU24 26W
Color Options	Finish	Lamp	Mounting
OP	SN	MB10	M
BZ bronze	PN polished nickel		M monopoint canopy
SN satin nickel			

Sack

Cased blown glass pendants. 120V.

Model
PD153

AP apricot	LA10 LED A19 10W	MB10 Medium Base Incandescent 100W	CF26 Compact Fluorescent GU24 26W
BU blue			
OP opal			
Color Options	Finish	Lamp	Mounting
AP	BK	MB10	M
	BK black		M monopoint canopy



230

Shown: (1) PD182RDSNMB6M, Belle Grande in Red.

Belle Grande

Large scale glass Murano pendant.
Comprised of a amber, opale and red frits.

Model			
PD182			
AM amber		LA10 LED A19 10W	
OP opal		MB6 Medium Base Incandescent 60W	
RD red		CF18 Compact Fluorescent GU24 18W	
Color Options	Finish	Lamp	Mounting
RD	SN	MB6	M
BZ bronze		M monopoint canopy	
PN polished nickel			
SN satin nickel			

Acorn Crystal

Pristine optical quality cut crystal pendant.
120V G9 lamping.

Model			
PD190			
CR clear		G975 G9 75W 120V	
Color Options	Finish	Lamp	Mounting
CR	PN	G975	M
PN polished nickel		M monopoint canopy	





Swirl Grande

Beautiful Murano blown glass with swirl optic pattern. 120V.

Model PD167			
LV	lava	LA10 LED A19 10W MB6 Medium Base Incandescent 60W CF18 Compact Fluorescent GU24 18W	M monopoint canopy
OP	opal		
RD	red		
Color Options	Finish	Lamp	Mounting
LV	SN	MB6	M
	BZ bronze PN polished nickel SN satin nickel		



Rogallo

Large cased opale pendant with organic white decorative pattern. 120V.

Muna

Large opale glass with subdued dichroic coating. 120V.

Model PD191			
COMPLEMENT: wall p190	OP	OP	OP
	SN	SN	SN
	BZ bronze PN polished nickel SN satin nickel	MB6	M
			M monopoint canopy
Color Options	Finish	Lamp	Mounting
OP	SN	MB6	M
	BZ bronze PN polished nickel SN satin nickel		

Model PD118			
OP	OP	OP	OP
SN	SN	SN	SN
	BZ bronze PN polished nickel SN satin nickel	MB10	M
			M monopoint canopy
Color Options	Finish	Lamp	Mounting
OP	SN	MB10	M
	BZ bronze PN polished nickel SN satin nickel		



Shown:
(3) PD185RDSNMB6M
Java Pendants in Red



Java

Cased blown glass with swirl optic.
120V.

Model			
PD185		AM amber	
		MO mocha	
		OP opal	
		RD red	
		LA10 LED A19 10W	
		MB6 Medium Base Incandescent 60W	
Color Options	Finish	Lamp	Mounting
MO	SN	MB6	M
		BZ bronze	
		PN polished nickel	
		SN satin nickel	
		M monopoint canopy	



Retro Tubular
Style Lamp

Antique style tubular lamp and socket. 120V.

Model PD157A			
☛ RT4A Medium Base Retro Filament Tube 40W			
☛ COMPLEMENT: ceiling p253 wall p215	Finish	Lamp	Mounting
	SN	RT4A	M
	BZ bronze		M monopoint canopy
	PN polished nickel		
	SN satin nickel		

Dim Sum

Antique style socket and shade with classic A-Lamp. 120V.

Model PD227			
☛ RT4B Medium Base Retro Filament Bulb 40W			
☛ COMPLEMENT: wall p215	Finish	Lamp	Mounting
	SN	RT4B	M
	BZ bronze		M monopoint canopy
	PN polished nickel		
	SN satin nickel		

Retro Edison
Style Lamp

Antique style socket with classic A-Lamp. 120V.

Model PD157B			
☛ RT4B Medium Base Retro Filament Bulb 40W			
☛ COMPLEMENT: ceiling p253 wall p215	Finish	Lamp	Mounting
	BZ	RT4B	M
	BZ bronze		M monopoint canopy
	PN polished nickel		
	SN satin nickel		



Retro Cylinder

Classic A-Lamp and retro socket.
Cased opale glass offered in various
compact fluorescent options. 120V.

Model PD179			
☛ CF13 Compact Fluorescent GU24 13W*			
☛ CF26 Compact Fluorescent GU24 26W*			
☛ LA10 LED A19 10W*			
☛ RT4B Medium Base Retro Filament Bulb 40W*			
☛ COMPLEMENT: ceiling p253 wall p214	Color Options	Finish	Mounting
	AM*	SN	M
		RT4B	
		BZ bronze	M monopoint canopy
		PN polished nickel	
		SN satin nickel	

* RT4B, Amber and Clear.
* CF13, CF26, LA10 Opal Only.



Shown:
(25) PD157BSNRT4J
Retro Edison Style Lamp on
a 25 Light Line Voltage Canopy
CPLVSQ25SN

Line Voltage Multi Light Canopies

3 Light Line Voltage Canopy

Mounts to a standard 4" junction box.

3 Light	BZ bronze	
	PC polished chrome	
	PN polished nickel	
	SN satin nickel	
	Model	Finish
	CPLVRN3	SN



5 Light Line Voltage Canopy

Mounts to a standard 4" junction box.

5 Light	BZ bronze	
	PC polished chrome	
	PN polished nickel	
	SN satin nickel	
	Model	Finish
	CPLVRN5	BZ



7 Light Line Voltage Canopy

Mounts to a standard 4" junction box.

7 Light	BZ bronze	
	PC polished chrome	
	PN polished nickel	
	SN satin nickel	
	Model	Finish
	CPLVRN7	SN



13 Light Line Voltage Canopy

Mounts to a standard 4" junction box.


13 Light	BZ bronze	
	PC polished chrome	
	PN polished nickel	
	SN satin nickel	
	Model	Finish
	CPLVRN13	SN



25 Light Line Voltage Canopy

Mounts to a standard 4" junction box.

25 Light	BZ bronze	
	PC polished chrome	
	PN polished nickel	
	SN satin nickel	
	Model	Finish
	CPLVSQ25	SN



Ceiling Collection

Shown:
(1) CL502AMSNMB6
Neptune Ceiling Grande
in Amber.

Ceiling Collection

Stone Lighting is proud to introduce a unique collection of small and large ceiling fixtures. We are happy to offer ceiling fixtures in exquisite Murano glass, Marble, Alabaster and blown crystal glass designs.





Shown:
(1) CL504PNMB4
Avenue Ceiling-Fablux

Avenue Ceiling-Kalla

Square ceiling luminaire with frosted acrylic bottom and side window diffusers.


Model CL505			● MB4 Medium Base Incandescent 2x40W ● Q13 Compact Fluorescent Quad 2x13W ● COB10 SL-COB 10W Stone Lighting LED Chip on Board		
FR frosted					
Color Options	Finish	Lamp			
FR	PN	MB4			
			BZ bronze PN polished nickel SN satin nickel		



Avenue Ceiling-Fablux

Square ceiling luminaire with knoll textile fabric bottom and side window diffusers.

Model CL504	 MB4 Medium Base Incandescent 2x40W	
	 Q13 Compact Fluorescent Quad 2x13W	
	 COB10 SL-COB 10W	
	Stone Lighting LED Chip on Board	
	Finish	Lamp
	PN	MB4
	BZ	bronze
	PN	polished nickel
	SN	satin nickel



Lux Square Open

Die-cast aluminum exterior luminaire.
Opale white polycarbonate diffuser.
Stainless steel hex head screws and watertight gasketing.
Perfect for any indoor or outdoor ceiling or wall applications.
Dry or damp location.

Model					
WO811		SI silver			
		WH white			
Finish		Lamp			
SI		MB6			



MB6 Medium Base Incandescent 60W A19



Q26 Compact Fluorescent Quad 2x26W



COB18 SL-COB 2x18W

Stone Lighting LED Chip on Board




Shown:
(1) CL503MOBZMB4
Avenue Ceiling-Murano
in Mocha



Avenue Ceiling-Murano

Square ceiling luminaire with Murano glass bottom and side windows.

Exquisite Murano Frit. Delicately patterned and genuine silver flakes imbued each panel.



Model CL503	AM amber	MB4 Medium Base Incandescent 2x40W
	MO mocha	Q13 Compact Fluorescent Quad 2x13W
Color Options	OP opal	COB10 SL-COB 10W
	RD red	Stone Lighting LED Chip on Board
COMPLEMENT: wall p178, 179	Color Options	Finish
	OP	PN
		Lamp
		MB4
BZ bronze		
PN polished nickel		
SN satin nickel		



Shown:
(1) CL506CRPNCN4
Borealis



Borealis

Exquisite blown crystal glass balls and teardrops make a beautiful ceiling luminaire.

Model CL506		
CR clear		⦿ CN4 Candelabra Base 3X40W
Color Options	Finish	Lamp
CR	PN	CN4
PN polished nickel		



Soleil

Brushed stainless steel ceiling or wall luminaire. Gasketed frosted glass and no visible fasteners make this the perfect damp location solution for outdoor or indoor applications where stainless steel durability and aesthetic design value is desired.
Perfect for under eaves, baths, outdoor hallways and any other high end damp location. Incandescent, Fluorescent, and LED lamping solutions available.

Model			
CL515			
		MB6 Medium Base Incandescent 60W A19	
		Q18 Compact Fluorescent Quad 2x18W	
		COB36 SL-COB 36W	
		Stone Lighting LED Chip on Board	
Finish	Lamp		
SS	MB6		
SS stainless steel			



Rondo Ceiling 6, 8

Clear lines and thick frosted crystal glass mesh with a Satin Nickel Steel body.
Offered with a state of the art C.O.B. LED Lamping. Also available with a 120V, G9 Base Halogen solution.

Rondo			
FR frosted			
Models	Color Options	Finish	Lamp
Rondo 6 CL507	FR	SN	G940
Rondo 8 CL508		SN satin nickel	

G940 G9 1x40W (Rondo 6 only)
G940 G9 2x40W (Rondo 8 only)
COB10 SL-COB 10W
Stone Lighting LED Chip on Board



Neptune Ceiling

Beautiful Murano glass bowl with swirl pattern and genuine silver flakes.

Model

CL501

AM

LV

MO

OP

RD

CF13

Compact Fluorescent

GU10 3x13W

MB6

Medium Base Incandescent

3x60W

Color Options

OP

Finish

SN

Lamp

MB6

COMPLEMENT:

chandeliers

p165

BZ

bronze

SN

satin nickel



Neptune Ceiling Grande

Beautiful Murano glass bowl with swirl pattern and genuine silver flakes.



Model

CL502

AM

LV

MO

OP

RD

CF26

Compact Fluorescent

GU10 3x26W

MB6

Medium Base Incandescent

3x60W

Color Options

MO

Finish

SN

Lamp

MB6

COMPLEMENT:

chandeliers

p165

BZ

bronze

SN

satin nickel



Pompeii Ceiling

Beautiful white marble bowls. Available as one piece and as a beautiful mosaic creation.

Model
CL510

MB marble

MBMS marble mosaic

CF26 Compact Fluorescent GU10 3x26W

MB6 Medium Base Incandescent 3x60W

Color Options

Finish

Lamp

MBMS

SN

MB6

BZ bronze

SN satin nickel


COMPLEMENT:
chandeliers
p163



MB



MBMS



Retro Edison Style Lamp

Model
CL157B

RT4B Medium Base Retro Filament Bulb 40W

Finish

Lamp

SN

RT4B

BZ bronze

PN polished nickel

SN satin nickel

COMPLEMENT:
line voltage
p237
wall p215

Retro Tubular Style Lamp

Model
CL157A

RT4A Medium Base Retro Filament Tube 40W

Finish

Lamp

BZ

RT4A

BZ bronze

PN polished nickel

SN satin nickel

COMPLEMENT:
line voltage
p236
wall p215

Retro Cylinder Ceiling

Cylinder glass with classic A-19 Incandescent lamp.

Transparent glasses use classic A-Lamp. Cased opal glass can be lamped with Compact Fluorescent bulb.



Model
CL179

AM amber

CR clear

OP opal

CF13 Compact Fluorescent GU10 13W (opal glass only)

CF18 Compact Fluorescent GU10 18W (opal glass only)

RT4B Medium Base Retro Filament Bulb 40W

Color Options

Finish

Lamp

OP

SN

CF18

BZ bronze

PN polished nickel

SN satin nickel

COMPLEMENT:
line voltage
p237
wall p214

Shown:
(3) SL600SSLED
3" Round LED Step Light

Step Lighting

Stone Lighting's step light is perfect for in wall, in floor indoor and outdoor, landscape applications: Walkways, concrete, masonry etc.

Features marine grade stainless steel construction and a Cree 1 Watt LED source.

Offered with an array of dry and wet rated power supplies.

Simple installation and configuration possibilities.

Preconfigured kits available.





Shown:
(2) SL600SSLED
3" Round LED Step Light

LED Step Light

3" Round LED Step Light

3" LED Stainless Steel outdoor rated step light.

Each light ships with splice box.

Model		LED 1W	
SL600		Finish	Lamp
		SS	LED
		SS stainless steel	



Frosted Glass Lens 1

CREE 1W Warm White LED 2700K 50K rated ave life 2

Easy Installation with high quality spring metal clips holds firmly in wall, floor etc. 3

Watertight indoor/outdoor Stainless Steel Cable fitting 4

IP65 Outdoor rated cable 5

KIT LED Step Light Kit

Stone Lighting's Step Light Kit is perfect for many indoor or outdoor applications.

Everything for powering up to 14 lights and creating a run up to 45ft.

Order example:

LED Step Light Kit	Model	Lights*
	SL600KIT	14

*Choose # of lights (01-14)

Each **KIT** includes:

- 3" Round LED Step Light
Choose 01-14 Units.
SL600SSLED
- Transformer
120V Input, 12V-15W Output, class 2 wet rated, comes standard with 45ft of cable.
PWSLM15

- Sleeve (optional*)
* Order (1) sleeve per light if installing step light in stone, concrete, brick, or masonry applications.
SLSLVSS



SLSLVSS (optional)
Stainless Sleeve for recessing step light in stone, concrete, brick, or masonry applications.



PWSLM15 (Indoor/Outdoor)
15W WET Watertight. Wet rated LED Transformer. Allows for installation of 1 to 14 lights in the same run. Ships with 45ft outdoor cable.



PWE60NL (Indoor)
60W DRY No Load Power Supply can power up to 50 step lights using our landscape. Wet rated cable.



PWE75SS (Indoor/Outdoor)
75W 304 Stainless Steel Outdoor Landscape Unit. Can operate >200ft. outdoor step light runs. Will power 65 LED Step Lights. It has a build in timer and optional photocell.



SLCBLSPT
Indoor / Outdoor Cable.
Our cable is 18G SPT-2 Rated for 300V Indoor/Wet Location UL/CSA Rated Primary. SJTW 18AWG Indoor/Outdoor Rated UL/CSA Rated Transf. Class 2 Power Supply. 120V AC Input/Output 12AC 15Watts. C UL Listed. Suitable for Wet Location. Raintight listed.

Outdoor Lighting

Stone Lighting's Outdoor Luminaire Selection offers a perfect hybrid of specification and high end design elements to satisfy virtually any outdoor application.

Our designs focus on fabrication using the highest grade 316 brushed stainless steel, die-cast aluminum bodies, and a vast array of customization possibilities utilizing electrostatic powder coated exterior grade finishes.

Technology

A wide selection of electronic GU24 Compact Fluorescent and Incandescent Lampings are offered throughout each collection.


We pride ourselves on our dedication to state of the art Green Technology by incorporating C.O.B. (Chip on Board) LED Light modules. Stone Lighting modules use world renowned diodes from CREE, packaged in a unique matrix of light. This allows for the most optimal thermal arrangement with increased light output.

Main features of SL-COB (Stone Lighting-Chip on Board) based lighting fixtures:

- Highest Light lumen intensity per square area (400LM to 2400LM).
- Extremely long life.
- Durable shatter resistant light sources.
- Instant start in extreme cold weather environments down to -40 C.
- Minimal heat radiance from fixture.
- NO harmful IR or UV radiation.
- Low voltage safe lighting LED module.
- Field Upgradeable COB modules for different CCTs or varying wattages.
- Compliance with RoHS.
- Light source lumen output comparable to HID or incandescent but without wasted heat.
- Low maintenance lighting fixtures.
- Low glare.



High Quality Stainless Steel Construction



Quadro Series

Quadro is a unique luminaire solution that utilizes a base luminaire comprised of 316 brushed stainless steel body with a gasketed clear tempered glass diffuser making the base body watertight. Unique to this design concept is the ability to specify and simply mount a choice of 5 different 316 stainless steel decorative faces to the base body. Interchangeable and customizable (consult factory). A myriad of lampings are available for the base body from C.O.B. (Chip on Board) LED Technology, Electronic GU24 Compact Fluorescents, to Incandescent Lampings.


Shown:
WO804SSMB4
Quadro Pyramid



Quadro Wall Wash




Quadro Pyramid




- 1 Body assembly.
- 2 Custom waterproof silicone rubber gasket.
- 3 Clear tempered glass 3/16" thick.
- 4 White frosted acrylic diffuser (1 side frosted translucent white acrylic 1/8" thick).
- 5 Decorative stainless steel face.


* Wall projection 2" - 3"




Quadro Wall Wash




Quadro Pyramid



Quadro Uno



Quadro Quattro



Quadro Nove

Quadro Wall Wash

Square wall washer.

Model
WO803

SS stainless steel

Finish
SS

Lamp
MB4

- MB4 Base Incandescent 2x40W Torpedo
- Q18 Compact Fluorescent Quad 2x18W
- COB26 SL-COB 26W
- Stone Lighting LED Chip on Board

Quadro Pyramid

Pyramid wall washer.

Model
WO804

SS stainless steel

Finish
SS

Lamp
MB4

- MB4 Base Incandescent 2x40W Torpedo
- Q18 Compact Fluorescent Quad 2x18W
- COB26 SL-COB 26W
- Stone Lighting LED Chip on Board



Quadro Uno



Quadro Quattro



Quadro Nove

Quadro Uno

Single large window front light and adjustable wall washing light.

Quadro Quattro

Four light windows and adjustable wall washing light.

Quadro Nove

Nine light windows and adjustable wall washing light.



Shown:
WO801SSQ18
Quadro Quattro

Model
WO800

SS stainless steel

Finish	Lamp
SS	MB4

- ☐ MB4 Base Incandescent 2x40W Torpedo
- ☐ Q18 Compact Fluorescent Quad 2x18W
- COB26 SL-COB 26W Stone Lighting LED Chip on Board

Model
WO801

SS stainless steel

Finish	Lamp
SS	Q18

- ☐ MB4 Base Incandescent 2x40W Torpedo
- ☐ Q18 Compact Fluorescent Quad 2x18W
- COB26 SL-COB 26W Stone Lighting LED Chip on Board

Model
WO802

SS stainless steel

Finish	Lamp
SS	MB4

- ☐ MB4 Base Incandescent 2x40W Torpedo
- ☐ Q18 Compact Fluorescent Quad 2x18W
- COB26 SL-COB 26W Stone Lighting LED Chip on Board



Oceano

Features an internally ice etched glass diffuser, polished brass or chrome housing and guard. Brass hex screws and watertight gasketing.

Lamp options:
Incandescent, Compact Fluorescent and SL-COB (Stone Lighting Chip on Board) LED module.

Model
WO854

CH chrome
BR brass

Finish	Lamp
CH	MB7

- MB7 Medium Base Incandescent 75W
- CF18 Compact Fluorescent GU24 18W
- COB13 SL-COB 13W
Stone Lighting LED Chip on Board



Shown:
WO854BRMB7
Oceano Incandescent in Brass



Tortuga Ovale

Features an internally ice etched glass diffuser, polished brass or chrome housing and guard. Classic brass wing nuts and watertight gasketing.

Lamp options:
Incandescent, Compact Fluorescent and SL-COB (Stone Lighting Chip on Board) LED module.

Model
WO851

CH chrome
BR brass

Finish	Lamp
BR	MB6

- MB6 Medium Base Incandescent 60W
- CF13 Compact Fluorescent GU24 13W
- COB13 SL-COB 13W
Stone Lighting LED Chip on Board



Tortuga Round

Features an internally ice etched glass diffuser, polished brass or chrome housing and guard. Classic brass wing nuts and watertight gasketing.

Lamp options:
Incandescent, Compact Fluorescent and SL-COB (Stone Lighting Chip on Board) LED module.

Model
WO850

CH chrome
BR brass

Finish	Lamp
BR	MB6

- MB6 Medium Base Incandescent 60W
- CF13 Compact Fluorescent GU24 13W
- COB13 SL-COB 13W
Stone Lighting LED Chip on Board



Wall projection 4"



9.5"

9.5"

Wall projection 5"



Bari Visa

Features solid brass casted or chrome plated brass housing and visor. Internal etched glass diffuser, brass hex screws, and watertight gasket.

Lamp options:
Incandescent, Compact Fluorescent and SL-COB (Stone Lighting Chip on Board) LED module.

Model
WO852

CH chrome
BR brass

Finish	Lamp
CH	MB7

● MB7 Medium Base Incandescent 75W
● CF13 Compact Fluorescent GU24 13W
● COB13 SL-COB 13W
Stone Lighting LED Chip on Board

266



9.5"

9.5"

Wall projection 5.5"



Bari Guard

Features solid brass casted or chrome plated brass housing and guard. Internal etched glass diffuser, brass hex screws, and watertight gasket.

Lamp options:
Incandescent, Compact Fluorescent and SL-COB (Stone Lighting Chip on Board) LED module.

Model
WO853

CH chrome
BR brass

Finish	Lamp
BR	MB7

● MB7 Medium Base Incandescent 75W
● CF13 Compact Fluorescent GU24 13W
● COB13 SL-COB 13W
Stone Lighting LED Chip on Board

Wedge

Brushed Stainless Steel wall washer.

Lamp options:
Incandescent, Compact Fluorescent and SL-COB (Stone Lighting Chip on Board) LED module.

Model
WO807

SS stainless steel

Finish	Lamp
SS	MB4

● MB4 Base Incandescent 40W Torpedo
● CF13 Compact Fluorescent GU24 13W
● COB13 SL-COB 13W
Stone Lighting LED Chip on Board



8"

7"

Wall projection 6"

Shown:
WO807SSMB4
Wedge

Outdoor Lighting

Die-Cast Luminaires Series:

Silver or white exterior grade electrostatic powder coated. White Polycarbonate with Ultra Violet stabilizers or frosted crystal glass gasketed and wet listed





14"

Wall projection 6"

Model
WO811

SI silver
WH white

Finish
SI

Lamp
MB6

 MB6 Medium Base Incandescent 60W A19

 Q26 Compact Fluorescent Quad 2x26W

 COB36 SL-COB 36W

Stone Lighting LED Chip on Board

Lux Square Open

Die-Cast Aluminum Exterior Luminaire.
Opale white polycarbonate diffuser.

Stainless Steel hex head screws
and watertight gasketing.



14"

Wall projection 6"

Model
WO810

SI silver
WH white

Finish
SI

Lamp
MB6

 MB6 Medium Base Incandescent 60W A19

 Q26 Compact Fluorescent Quad 2x26W

 COB36 SL-COB 36W

Stone Lighting LED Chip on Board

Lux Square Grid

Die-Cast Aluminum Exterior Luminaire.
Opale white polycarbonate diffuser.

Stainless Steel hex head screws
and watertight gasketing.

Basis Rectangular Grid

Die-Cast Aluminum Exterior Luminaire.
Opale white internally frosted glass diffuser.

Stainless Steel hex head screws and
watertight gasketing.

Model
WO814

SI silver
WH white

Finish
SI

Lamp
MB6

 MB6 Medium Base Incandescent 60W A19

 CF13 Compact Fluorescent GU24 13W

 CF18 Compact Fluorescent GU24 18W

 COB13 SL-COB 13W

Stone Lighting LED Chip on Board



Basis Rectangular Open

Die-Cast Aluminum Exterior Luminaire.
Opale white internally frosted glass diffuser.

Stainless Steel hex head screws and
watertight gasketing.

Model
WO819

SI silver
WH white

Finish
SI

Lamp
MB6

 MB6 Medium Base Incandescent 60W A19

 CF13 Compact Fluorescent GU24 13W

 CF18 Compact Fluorescent GU24 18W

 COB13 SL-COB 13W

Stone Lighting LED Chip on Board



Basis Rectangular Visa

Die-Cast Aluminum Exterior Luminaire.
Opale white internally frosted glass diffuser.

Stainless Steel hex head screws and
watertight gasketing.

Model
WO815

SI silver
WH white

Finish
SI

Lamp
MB6

 MB6 Medium Base Incandescent 60W A19

 CF13 Compact Fluorescent GU24 13W

 CF18 Compact Fluorescent GU24 18W

 COB13 SL-COB 13W

Stone Lighting LED Chip on Board





14"

Wall projection 5"

Lux Round Grid

Die-Cast Aluminum Exterior Luminaire.
Opale white polycarbonate diffuser.

Stainless Steel hex head screws
and watertight gasketing.

Model
WO812

SI silver
WH white

Finish	Lamp
SI	MB6

- MB6 Medium Base Incandescent 60W A19
- Q26 Compact Fluorescent Quad 2x26W
- COB36 SL-COB 36W
- Stone Lighting LED Chip on Board

Lux Round Visa

Die-Cast Aluminum Exterior Luminaire.
Opale white polycarbonate diffuser.

Stainless Steel hex head screws
and watertight gasketing.

Model
WO813

SI silver
WH white

Finish	Lamp
SI	MB6

- MB6 Medium Base Incandescent 60W A19
- Q26 Compact Fluorescent Quad 2x26W
- COB36 SL-COB 36W
- Stone Lighting LED Chip on Board



14"

Wall projection 5"

270



14"

Wall projection 5"

Lux Round Open

Die-Cast Aluminum Exterior Luminaire.
Opale white polycarbonate diffuser.

Stainless Steel hex head screws
and watertight gasketing.

Model
WO818

SI silver
WH white

Finish	Lamp
SI	MB6

- MB6 Medium Base Incandescent 60W A19
- Q26 Compact Fluorescent Quad 2x26W
- COB36 SL-COB 36W
- Stone Lighting LED Chip on Board

Lux Ovale Grid

Die-Cast Aluminum Exterior Luminaire.
Opale white polycarbonate diffuser.

Stainless Steel hex head screws
and watertight gasketing.

Model
WO817

SI silver
WH white

Finish	Lamp
SI	MB6

- MB6 Medium Base Incandescent 60W A19
- Q26 Compact Fluorescent Quad 26W
- COB13 SL-COB 13W
- Stone Lighting LED Chip on Board



6"

Wall projection 5"



Echo Wall

Half cylinder exterior luminaire. Brushed Stainless Steel or Bronze exterior powder coated finish equipped with a galvanized outdoor rated E26 socket that will allow for Incandescent lampings or GU24 Spiral Fluorescent lamping with Incandescent adapter.

Model
WO805

SS stainless steel
BZ bronze

Finish	Lamp
BZ*	MB10

☉ MB10 Base Incandescent 100W
💡 CF18 Compact Fluorescent GU24 18W

*Consult factory for custom powder coated finishes



Shown:
WO808ALGM5
Sonos



Shown:
WO805BZMB10
Echo Wall

Sonos

Anodized Aluminum wall washer up/down light.

Model
WO808

AL aluminum

Finish	Lamp
AL	GM5

💡 GM5 GU10 120V MR16 2x50W





Stone Lighting LED Flexible Strip

Stone Lighting's LED Flexible Tape is extremely versatile, flexible low voltage linear strip perfect for above cabinets, under cabinets, shelves, coves, toe kicks, step lights, display lighting, cinema rooms and a multitude of task and accent application solutions.

Standard LED Soft Strip is available in 2.2W SO (standard output) or 4.4W HO (high output) per foot in warm, cool white and RGB. A premium 4.4 watt per foot, warm white strip with a CRI of 80+ produces a richer color.

Along with our fully controllable RGB soft strip, designers can produce a variety of dynamic lighting scenes.

All Stone Lighting LED Soft Strip has a protective gel coat making it rated IP65 for wet locations. Cut lines are clearly marked making field installation and a variety of connectors easily utilized.




Shown: RGB High Output set on Cobalt Blue LED Soft Strip.




Single Run White

Simple Single Run Example



Single Run with Linking of Two Strips Example



Reasons for Specifying Stone Lighting’s LED Flexible Strip Lighting

- Versatile and flexible.
- Suitable for lighting below or above cabinets, stairs, coves, display cases and shelves.
- Available for wet locations, outdoors or above swimming pools.
- Available for submersible use such as under water or exterior of boats or cars.
- Two brightness levels: 2.2W Standard Output or 4.4W High Output per foot.
- High CRI rating of 80+.
- Choice of two color temperatures: 3000K Warm White or 4500K Cool White (Natural - Neutral).
- Full range dimmable.

Shown:
White LED Soft Strip

step 1

Choose your White Soft Strip

Select:

Warm White 3000K

Model
LEDTPWW12W

High Output
HO*

or

Standard Output
SO**

Model
LEDTPWW24W

High Output
HO*

or

Standard Output
SO**

*4.4W per foot

**2.2W per foot

OR

Cool White 4500K

Model
LEDTPCW12W

High Output
HO*

or

Standard Output
SO**

Model
LEDTPCW24W

High Output
HO*

or

Standard Output
SO**

*4.4W per foot

**2.2W per foot

Each White Soft Strip Roll is 16Ft.









Shown:
11' LEDTPWW12WSO
Warm White 12V Soft Strip SO
(1) 30W Remote Power Supply

LED Flexible Strip Lighting

step 2

Choose your Connectors

	LEDTPCONWPW Flexible Power Connector Connect to strip end, then to power supply or controller.		LEDTPCONWT T-Connector Join (3) strips in a T form.
	LEDTPCONWJP Flexible Connector Join two soft strip sections with flexible connector for easy variable point to point connection.		LEDTPCONWX X Connector Join (4) strips in a X form.
	LEDTPCONWSP Rigid Connector Direct non-flexible end to end connection.		LEDTPCONWL L Connector Join directly (2) strips in a 90° angle.
	LEDTPCONWCL Mounting Clips Optional use for securing strip hold beyond. 3M adhesive backing provided with tape. Sometimes surface may require additional security that sticky backing does not provide.		

step 3

Choose your Power Supply

POWER SUPPLY	DESCRIPTION	DIMENSIONS LxWxH (in)	MODEL NUMBER	DIMMER TYPE
	Plug-in Power Supply, class 2 indoor use. Input Voltage 100-240VAC Output Voltage 12 VDC available in 30W and 60W Input cord is 48" long Output cord is 45" long	3.37"x1.75"x1.40"	30W PWPLGIN1230 60W PWPLGIN1260	ELV Incandescent or C-L Lutron LED Dimmer
	Dry Location Remote 60W 120V No Load Output 12VDC 5Amp No Load Output 24VDC 2.5Amp LED COMPATIBLE UL2108 Short circuit and thermal Protection * 277V available upon request	8.15"x2"x1.70"	12V PWLEDTP1260 24V PWLEDTP2460	ELV Incandescent or C-L Lutron LED Dimmer
	Dry Location Remote 100W 120V No Load Output 12VDC 8.33Amp No Load Output 24VDC 4.16Amp LED COMPATIBLE UL2108 Short circuit and thermal Protection * 277V available upon request	9.25"x3.4"x1.90"	12V PWLEDTP12100 24V PWLEDTP24100	ELV Incandescent or C-L Lutron LED Dimmer
	Outdoor Wet Location Remote 200W 120V No Load Output 12VDC 16.67Amp No Load Output 24VDC 8.33Amp UL8750 Short circuit and thermal Protection * 277V available upon request	9.2"x5"x2.3"	12V PWLEDTP12200 24V PWLEDTP24200	Output Dimable using rotary Wall Dimmer LEDTPWHDIM
	Outdoor Wet Location Remote 400W 120V No Load Output 12VDC 33.33Amp No Load Output 24VDC 16.67Amp UL8750 Short circuit and thermal Protection * 277V available upon request	9.3"x5.8"x2.4"	12V PWLEDTP12400 24V PWLEDTP24400	Output Dimable using rotary Wall Dimmer LEDTPWHDIM

White Soft Strip Controller (Optional)



Wall Dimmer Control

Wall dimmer control for 200 watt and 400 watt power supplies

Install between power supply and soft strip.

Model:
LEDTPWHDIM

Aluminum Extruded Channels and Diffuser (Optional)

Aluminum extrusions for your LED Strip Lights are available in 1m (3.3 ft) lengths that are made especially to be routed into wood, drywall, or stone for a flush and professional finish. With their slim designs this product makes for a great housing and also a great heat sink for your custom LED project.

If you are looking for a finished look for your LED Strip Lights this is definitely the product for you. Perfect for under cabinet, under stairs, closets, exhibits, furniture, work stations or any project needing a thin profile for housing your LED Strip Lights. This product does not fully diffuse your LED Lights, individual lights can still be seen through the frosted cover.

Stone Lighting
offers 3 common
solutions:



Shown:
LEDCHNRSL7

Shallow Channel LEDCHNRSL7

Perfect for thinner routed surfaces such as 3/4" thick shelving as shown.



Deep Channel LEDCHNRSL15

Perfect for locations that may be uneven or need a deeper cut to house the channel. For example a vertical stone riser would need a deeper grooved channel.




Corner Channel LEDCHNALUCRN

Perfect for under cabinet mounting diffusing light perfectly over entire counter surfaces and minimizing visualization of the luminaire.




Single Run RGB

Linking Three Strips Example



RGB Remote Controller LED Soft Strip



- Offers Ipod like touch sensing
- On / Off
- Color ring to create every color in the entire color spectrum
- White balance
- Dimming control

RGB LED Flexible Strip Lighting

- Thousands of different colors are possible.
- Dimmable.
- Programmable.
- Flexible and easily mounted using 3M double stick tape.
- High light output.
- Plug in connectors for easy installation.
- Low power consumption + low heat.

Use Stone Lighting's RGB LED Strip Lighting in:

- Above or under cabinets.
- Shelf lighting.
- Cove or soffit.
- Stairways.
- Pathways.
- Accent lighting.

step 1

Choose RGB Soft Strip

If you want Red, Green, Blue, White or any combination in the entire color spectrum you want RGB Tape.

RGB Soft Strip

Model
LEDTPRGB12

Model
LEDTPRGB24



step 2

Choose your Components



RGB Remote Control

This touch screen remote allows for every color in the spectrum, dimmability and saturation levels.

Other functions: Fading and speed controlled alternating colors.

Model

LEDMODRGB

RGB Controller

Install between power supply and soft strip.
Works with LEDMODRGB for dynamic color control.

Model

LEDTPRMTCON

OR

RGB Wall Dimmer Control (optional)





Install between power supply and soft strip.
Only for dimming one preset prewired color.

Model

LEDTPWHDIM

step 3

Choose your Connectors

	LEDTPCONRGBPW Flexible Power Connector Connect to strip end, then to power supply or controller.		LEDTPCONRGBT T-Connector Join (3) strips in a T form.
	LEDTPCONRGBJP Flexible Connector Join two soft strip sections with flexible connector for easy variable point to point connection.		LEDTPCONRGBX X Connector Join (4) strips in a X form.
	LEDTPCONRGBSP Rigid Connector Direct non-flexible end to end connection.		LEDTPCONRGBL L Connector Join directly (2) strips in a 90° angle.
	LEDTPCONRGBCL Mounting Clips Optional use for securing strip hold beyond. 3M adhesive backing provided with tape. Sometimes surface may require additional security that sticky backing does not provide.		

step 4

Choose your Power Supply

To choose the right power supply refer to page 279.

step 5

Aluminum Extruded Channels and Diffuser (Optional)

To choose your aluminum channel refer to page 280.



Shown:
RGB Soft Strip with Remote
Controller set to Cobalt Blue
(1) LEDMODRGB
(1) LEDTPRMTCON
(1) 100W Remote Power Supply
14' LEDTPRGB12

Halogen & Xenon - 12 Volts

Type Watts	Bulb	Base	Ordering Code	Finish	Average Rate Life	Color Temperature	Initial Lumens
JC10		G4	LMPX1CR	Clear	2,000	2900K	120
JC20		G4	LMPX2CR	Clear	5,000	2900K	350
JC20		G4	LMPX2FR	Frost	5,000	2900K	330
JC35		GY6.35	LMPX3CR	Clear	5,000	2900K	700
JC35		GY6.35	LMPX3FR	Frost	5,000	2900K	650
JC50		GY6.35	LMPX5CR	Clear	5,000	2900K	1100
JC50		GY6.35	LMPX5FR	Frost	5,000	2900K	1050
JC35		GY6.35	LMPX3CR10K	Clear	10,000	2900K	900
JC35		GY6.35	LMPX3FR10K	Frost	10,000	2900K	850
MR11/35		GU4-FTF	LMPN3N	Clear	5,000	3000K	3600
MR16/35		GU5.3-FMW	LMPM3M	Clear	5,000	3000K	1600
MR16/35		GU5.3-FMW	LMPMRMCC	Clear	6,000	3000K	1600
MR16/50		GU5.3-EXN	LMPM5N10K	Clear	10,000	3000K	2200
MR16/50		GU5.3-EXN	LMPM5MCC	Clear	6,000	3000K	2200
MR16/50		GU5.3-EXN	LMPM5WFR	Frost-Back	5,000	3000K	1600

Halogen 120 Volts (CC) Note: Suffix CC is Constant Color (CRI)

Type Watts	Bulb	Base	Ordering Code	Finish	Average Rate Life	Color Temperature	Initial Lumens
JD150		E11	LMPMC15	Clear	2,000	2900K	2500
JD75		G9	LMPG975CR	Clear	2,000	2900K	1050
JD75		G9	LMPG975FR	Frost	2,000	2900K	1000
GU10		GU10	LMPGM5	Clear	2,000	3000K	2200

Compact Fluorescent - 4 Pin Electronic Quad Tube

Type	Bulb	Base	Ordering Code	Watts	Average Rate Life	Color Temperature	Initial Lumens
FLD-E		G24Q-1	LMPQ13W	13	12,000	2700K	900
FLD-E		G24Q-1	LMPQ13N	13	12,000	3500K	900
FLD-E		G24Q-2	LMPQ18W	18	12,000	2700K	1200
FLD-E		G24Q-2	LMPQ18N	18	12,000	3500K	1200
FLD-E		G24Q-3	LMPQ26W	26	12,000	2700K	1800
FLD-E		G24Q-3	LMPQ26N	26	12,000	3500K	1800

Compact Fluorescent - GU24 Self Ballasted

Type	Bulb	Base	Ordering Code	Watts	Average Rate Life	Color Temperature	Initial Lumens
ESL		GU24	LMPCF13GW	13	10,000	2700K	800
ESL		GU24	LMPCF13GN	13	10,000	3500K	800
ESL		GU24	LMPCF18GW	18	10,000	2700K	1200
ESL		GU24	LMPCF18GN	18	10,000	3500K	1200
ESL		GU24	LMPCF26GW	26	10,000	2700K	1750
ESL		GU24	LMPCF26GN	26	10,000	3500K	1750

Retro 120 Volts

Type Watts	Bulb	Base	Ordering Code	Finish	Average Rate Life	Bulb Color	
Tubular/30		E26	LMPRT3A	Clear	3000	Smoke	
Edison/40		E26	LMPRT4B	Clear	3000	Smoke	
Edison/60		E26	LMPRT6B	Clear	3000	Smoke	

LED 120 Volts

Type Watts	Bulb	Base	Ordering Code	Finish	Average Rate Life	Color Temperature	Initial Lumens
JD/3		G9	LMPG93	Clear	25000	3000K	200
Edison/10		A19	LMPLAID	White	30000	3000K	600

LED 12 Volts

Type Watts	Bulb	Base	Ordering Code	Finish	Average Rate Life	Color Temperature	Initial Lumens
MR11/3		GU4	LMPND3	Clear	25000	3000K	150
MR16/3		GU5.3	LMPD3	Clear	50000	3000K	200
MR16/3		GU5.3	LMPD3C (ceramic)	Clear	50000	3000K	330
MR16/6		GU5.3	LMPD5	Clear	50000	3000K	
JC/2		G4	LMPL2	Clear	25000	3000K	120
Module/6		G4	LMPL5N	White	40000	3500K	330
Module/6		G4	LMPL5W	White	40000	2700K	330

MODEL NAME INDEX

Model Name	Page	Model Name	Page
Acorn Crystal Line Voltage Pendant.....	230	Canopy 4" Square EZ Jack.....	67
Acorn Pendant.....	94	Canopy 5 Light EZ Jack.....	68
Acorn Wall.....	182	Canopy 5 Light Line Voltage.....	239
Action Bare Swivel Head.....	77	Canopy 7 Light EZ Jack.....	68
Alicia Crystal Pendant.....	101	Canopy 7 Light Line Voltage.....	239
Alta Telescopic Cable Head.....	58	Caramel Pendant.....	146
Arc Picture Light.....	45	Cascade Chandelier.....	161
Aspen Cable Head.....	57	Castle Wall.....	214
Aspen EZ Jack Cable Head.....	58	Cirrus Pendant.....	135
Avenue Complete Wall.....	179	Crystal Cube Pendant.....	98
Avenue Fablux Ceiling.....	243	Crystal Cube Wall.....	216
Avenue Kalla Ceiling.....	243	Crystal Cylinder Pendant.....	98
Avenue Murano Ceiling.....	244	Crystal Cylinder Wall.....	187, 216
Avenue Open 6x6 Wall.....	178	Crystal Rectangle Pendant.....	98
Bare MR Focus Swivel Head.....	80	Crystal Rectangle Wall.....	185, 216
Bare MR Focus Wall.....	202	Dew Drop Pendant.....	107
Bare MX Swivel Head.....	86,87	Dew Drop Wall.....	181
Bare Snap Extension Wall Swivel Head.....	45	Dim Sum Line Voltage Pendant.....	236
Bare Snap Swivel Head.....	81	Dim Sum Wall.....	215
Bari Guard Outdoor Wall.....	266	Droplets Pendant.....	119
Bari Visa Outdoor Wall.....	266	Droplets Wall.....	183
Basis Rectangular Grid Outdoor Wall.....	269	Duomo Action Pendant.....	142
Basis Rectangular Visa Outdoor Wall.....	269	Duomo Action Swivel Head.....	73
Bath Bar Cylinder.....	222	Duomo MX Swivel Head.....	86
Bath Bar Rectangle.....	222	Duomo Picture Light Accessory.....	46, 61
Bath Kit Cylinder.....	220	Duomo Snap Swivel Head.....	81
Bath Kit Rectangle.....	220	Echo Outdoor Wall.....	272
Bella Donna Chandelier.....	16, 166	Eldora Long Wall.....	193
Belle Grande Line Voltage Pendant.....	230	Eldora Wall.....	193
Belle Grande Pendant.....	100	Elise Crystal Pendant.....	129
Belle Pendant.....	97	Elise Wall.....	216
Borealis Ceiling.....	247	Form Snap Swivel Head.....	80
Bubbles Pendant.....	105	Gauss Line Voltage Pendant.....	229
Bubbles Wall.....	201	Gauss Pendant.....	137
		Gracie Crystal Pendant.....	129
CABLE SYSTEM (C.S.)			
C.S. Cable Bare.....	54	HIGHLIGHTER (HL)	
C.S. Cable Hanger Adjustable 12ft.....	55	HL Bare Picture Light.....	48
C.S. Cable Insulated.....	54	HL Duomo Picture Light Accessory.....	49
C.S. Connector Conductive.....	55	HL Form Picture Light Accessory.....	49
C.S. Connector Isolating.....	55	HL Iris Picture Light Accessory.....	49
C.S. EZ Jack Adapter.....	55, 66	HL Murano Picture Light Accessory.....	49
C.S. Power Feed Canopy Dual Rigid.....	56	HL Simple Picture Light Accessory.....	49
C.S. Power Feed Canopy Dual Soft Feeder.....	56	HL Vitrea Picture Light Accessory.....	49
C.S. Power Feed Canopy Rigid.....	56		
C.S. Power Feed Canopy Soft Feeder.....	56	Ice Pendant.....	110
C.S.Transformer Surface Mount Electronic 300W.....	56	Ice Wall.....	199
C.S. Universal Turnbuckles.....	54	Industrial Swivel Head.....	89
		Iris Action Pendant.....	113
Calla Lilly Pendant.....	103	Iris Action Swivel Head.....	75
Camelot Wall.....	213	Iris MX Swivel Head.....	85
Canopy 13 Light EZ Jack.....	68	Iris Picture Light Accessory.....	46, 61
Canopy 13 Light Line Voltage Canopy.....	239	Iris Snap Swivel Head.....	83
Canopy 2.75" Round 1 Light.....	67	Iso Swivel Head.....	91
Canopy 25 Light EZ Jack.....	68	Java Line Voltage Pendant.....	235
Canopy 25 Light Square Line Voltage.....	239	Java Pendant.....	139
Canopy 3 Light EZ Jack.....	68	Jazz Crystal LED Pendant.....	121
Canopy 3 Light Line Voltage.....	239	Jazz Crystal LED Wall.....	196
Canopy 4" Round 1 Light.....	67	Jazz Venti Crystal LED Pendant.....	121
Canopy 4" Round Deep 1 Light.....	67	Jazz Venti Crystal LED Wall.....	196

Model Name	Page
Kilo Chandelier.....	163
Kitchen Pendant.....	108
Kitchen-Doppio Pendant.....	109
Konos Pendant.....	145
Krypto Focus Swivel Head.....	79
Krypto Focus Swivel Wall.....	204
Krypto Pendant.....	150
Krypto Swivel Head.....	88
Krypto Wall.....	206
LED SOFT STRIP (LED S.S.)	
LED S.S. Cool White 4500K 12V.....	278
LED S.S. Cool White 4500K 24V.....	278
LED S.S. RGB 12V.....	282
LED S.S. RGB 24V.....	282
LED S.S. RGB Module.....	282
LED S.S. RGB, Connector.....	283
LED S.S. RGB, Connector Power.....	283
LED S.S. RGB, Connector Rigid.....	283
LED S.S. RGB, Connector-L.....	283
LED S.S. RGB, Connector-T.....	283
LED S.S. RGB, Connector-X.....	283
LED S.S. Warm White 3000K 12V.....	278
LED S.S. Warm White 3000K 24V.....	278
LED S.S. White , Connector-L.....	278
LED S.S. White, Connector.....	278
LED S.S. White, Connector Power.....	278
LED S.S. White, Connector Rigid.....	278
LED S.S. White, Connector-T.....	278
LED S.S. White, Connector-X.....	278
LED S.S. Channel Corner.....	280
LED S.S. Channel Deep.....	280
LED S.S. Channel Shallow.....	280
LED S.S. Dimmer Control.....	280, 282
LED S.S. Mounting Clips.....	278, 283
LED S.S. Power Supply Plug In 30W.....	279
LED S.S. Power Supply Plug In 60W.....	279
LED S.S. Remote Control.....	282
LED S.S. Transformer Dry Location 12V 100W.....	279
LED S.S. Transformer Dry Location 12V 60W.....	279
LED S.S. Transformer Dry Location 24V 100W.....	279
LED S.S. Transformer Dry Location 24V 60W.....	279
LED S.S. Transformer Outdoor 12V 200W.....	279
LED S.S. Transformer Outdoor 12V 400W.....	279
LED S.S. Transformer Outdoor 24V 200W.....	279
LED S.S. Transformer Outdoor 24V 400W.....	279
Lenox 18 Wall.....	195
Lenox 9 Wall.....	195
Lenox Pendant.....	145
Luma Pendant.....	146
Luma Wall.....	205
Lux Ovale Grid Outdoor Wall.....	271
Lux Round Grid Outdoor Wall.....	270
Lux Round Open Outdoor Wall.....	270
Lux Round Visa Outdoor Wall.....	271
Lux Square Grid Outdoor Wall.....	268
Lux Square Open Ceiling.....	243
Lux Square Open Outdoor Wall.....	268
Magic Doppio Pendant.....	147

MODEL NAME INDEX (continued)


Model Name	Page
Marte Pendant.....	127
Marte Wall.....	199
Mercury Falling Pendant.....	119
Mercury Falling Wall.....	201
Milano Pendant.....	118
Milano Wall.....	189
Mirror-Rectangular -Illuminated LED.....	223
Mirror-Rectangular-Illuminated RGB LED.....	225
Mirror-Round-Illuminated LED.....	224
Mirror-Round-Illuminated RGB LED.....	225
MONORAIL SYSTEM (M.S.)	
M.S. Adjustable Cable Hanger.....	28, 29
M.S. Adjustable Connector.....	27, 41
M.S. Canopy Direct.....	34
M.S. Canopy Direct Dual.....	34
M.S. Canopy Direct Feed 2" Round.....	34
M.S. Canopy Direct Feed 2" Round Dual.....	34
M.S. Canopy Direct Wall.....	44
M.S. Canopy Remote.....	34
M.S. Canopy Remote 2.75" Round.....	34
M.S. Canopy Remote 2.75" Round Dual.....	34
M.S. Canopy Remote Dual.....	34
M.S. Connector Isolating.....	27, 42
M.S. Connector Straight.....	27, 42
M.S. Connector-L.....	27
M.S. Connector-T.....	28
M.S. Connector-X.....	28
M.S. Curved Monorail.....	22, 23
M.S. Direct Hanger.....	29
M.S. Electrical Box for 2.75" Canopy.....	34, 67
M.S. End Caps.....	28, 42
M.S. EZ Jack Adapter.....	66
M.S. EZ Jack Magnetic Male Connector.....	66
M.S. Spiral Monorail.....	23
M.S. Straight Monorail.....	22, 41
M.S. Transformer Surface Mount Magnetic 150W...	30
M.S. Transformer Surface Mount Magnetic 300W...	30
M.S. Transformer Surface Mount Magnetic 600W...	30
M.S. Wall Adapter.....	44, 66
M.S. Wall Hanger.....	42
Muna Line Voltage Pendant.....	233
Muna Pendant.....	137
Muna Wall.....	190
Murano Action Pendant.....	143
Murano Action Swivel Head.....	77
Murano Focus Swivel Head.....	78
Murano Focus Wall.....	203
Murano Wall.....	207
Nautilus Pendant.....	111
Nautilus Wall.....	183
Neptune Ceiling.....	248
Neptune Ceiling Grande.....	249
Neptune Suspension.....	165
Neptune Suspension Large.....	165
Oceano Outdoor Wall.....	264
Omega Wall.....	209
Onyx Cylinder Pendant.....	116
Onyx Cylinder Wall.....	213

Model Name	Page
Onyx Teardrop Pendant.....	117
Onyx Teardrop Wall.....	213
Optics Fizz Pendant.....	155
Optics Fizz Wall.....	217
Optics Pendant.....	155
Optics Wall.....	217
Peak Crystal Pendant.....	130
Peak Crystal Wall.....	197
Piston Pendant.....	133
Piston Swivel Head.....	91
Planar Swivel Head.....	89
Pompeii Ceiling.....	252
Pompeii Suspension.....	163
Poppy Pendant.....	115
Punto Zero Four Head Chandelier.....	15, 166
Punto Zero Pendant.....	11
Punto Zero Wall.....	9, 12
Quadro Nove Outdoor Wall.....	263
Quadro Pyramid Outdoor Wall.....	261
Quadro Quattro Outdoor Wall.....	263
Quadro Uno Outdoor Wall.....	262
Quadro Wall Wash Outdoor.....	261
Rain Chandelier.....	161
Regis Wall.....	209
Retro Cylinder Ceiling.....	253
Retro Cylinder Line Voltage Pendant.....	237
Retro Cylinder Wall.....	214
Retro Edison Ceiling.....	253
Retro Edison Line Voltage Pendant.....	237
Retro Edison Wall.....	215
Retro Tubular Ceiling.....	253
Retro Tubular Line Voltage Pendant.....	236
Retro Tubular Wall.....	215
Ridge Crystal Pendant.....	126
Ridge Crystal Wall.....	197
Rock Candy Pendant.....	124
Rocker Focus Swivel Head.....	79
Rocker Focus Swivel Wall.....	204
Rocker Pendant.....	151
Rocker Swivel Head.....	88
Rocker Wall.....	207
Rogallo Line Voltage Pendant.....	233
Rogallo Pendant.....	136
Rondo Ceiling 6.....	247
Rondo Ceiling 8.....	247
Sack Line Voltage Pendant.....	229
Simple Action Pendant.....	142
Simple Action Swivel Head.....	73
Simple Focus Swivel Head.....	78
Simple Focus Wall.....	203
Simple MX Swivel Head.....	87
Simple Wall.....	206
Snowmass EZ Jack Cable Head.....	57
Soleil Ceiling.....	247
Sonos Outdoor Wall.....	273
Spectra Pendant.....	134
Spectra Snap Swivel Head.....	84
Spectra Wall.....	205
Spun Pendant.....	141
Spun Wall.....	181

Model Name	Page
Stalactite Classic Wall.....	185
Stalactite Contemporary Wall.....	191
Stalactite Pendant.....	97
STEP LIGHTING (S.L.)	
Step Light LED 3" Round.....	257
S.L. 15W Watertight LED Transformer.....	257
S.L. 75W Stainless Steel Outdoor Landscape Unit..	257
S.L. Indoor/Outdoor Cable.....	257
S.L. Stainless Sleeve.....	257
Stilo Pendant.....	153
Swirl Grande Line Voltage Pendant.....	232
Swirl Pendant.....	141
Telescopic Picture Light.....	45
Tide Pendant.....	149
Tide Wall.....	187
Top 1 Light Chandelier.....	173
Top 2 Light Chandelier.....	173
Top 3 Light Chandelier.....	173
Top Cable Head.....	59
Top Multi Light Chandelier.....	173
Tortuga Ovale Outdoor Wall.....	264
Tortuga Round Outdoor Wall.....	265
Track Adapter EZ Jack.....	67
Transformer 60W No Load.....	257
Transformer Remote Electronic 150W.....	33, 43
Transformer Remote Electronic 300W.....	33, 43
Transformer Remote Electronic 60W DC.....	32, 43
Transformer Remote Magnetic 150W.....	33, 43, 56
Transformer Remote Magnetic 300W.....	33, 43, 56
Transformer Remote Magnetic 600W.....	33, 43, 56
Transformer Surface Mount Electronic 100W Mini...	31
Transformer Surface Mount Electronic 150W.....	30
Transformer Surface Mount Electronic 300W.....	30
Transformer Surface Mount Electronic 300W Mini...	31
Transformer Surface Mount Electronic 60W LED....	30
Tube Pendant.....	147
Tyme Crystal Pendant.....	131
Tyme Wall.....	216
Vail Pivot Head.....	57
Vida Wall.....	211
Vitrea Action Pendant.....	113
Vitrea Action Swivel Head.....	75
Vitrea MX Swivel Head.....	85
Vitrea Picture Light Accessory.....	46, 61
Vitrea Snap Swivel Head.....	83
Wand Pendant.....	152
Wedge Outdoor Wall.....	267
Whisper Pendant.....	149
Whisper Wall.....	191
Whistler Cable Head.....	59
Zen Wall.....	208
Graphic Design	
L.D.G. Jorge Lizarraga, L.D.G. Laura Navarro.	
Photography	
Michael Myers, O. Tavoli.	

MODEL NUMBER INDEX

Model	Page	Model	Page	Model	Page	Model	Page	Model	Page
BB221.....	222	DB206.....	83	MSCPRMTDU1.....	34	PD187.....	11	WO810.....	268
BB222.....	222	DB207.....	84	MSCPRMTDU2.....	34	PD190.....	230	WO811.....	243
BK221.....	220	DC219.....	89	MSCPYWALL1.....	44	PD191.....	137	WO811.....	268
BK222.....	220	DD208.....	89	MSEZJCK.....	66	PD191.....	233	WO812.....	270
CB507.....	59	DE209.....	91	MSHG1.....	29	PD201.....	142	WO813.....	271
CB900.....	57	DF200.....	80	MSHGADJ.....	29	PD202.....	113	WO814.....	269
CB901.....	59	DF203.....	78	MSHGWALL.....	42	PD203.....	143	WO815.....	269
CB902.....	57	DF205.....	78	MSJBOXRM2.....	34, 67	PD205.....	142	WO817.....	271
CB903.....	57	DF217.....	79	MSPAD.....	66	PD206.....	113	WO818.....	270
CB903EJ.....	58	DF218.....	79	MSRL36.....	22, 41	PD207.....	134	WO819.....	269
CB905.....	58	DM200.....	86	MSRL48.....	22, 41	PD217.....	150	WO850.....	265
CH501.....	165	DM201.....	86	MSRL96.....	22, 41	PD218.....	151	WO851.....	264
CH502.....	165	DM202.....	85	MSRLCV24.....	22	PD221.....	98	WO852.....	266
CH5071.....	173	DM203.....	87	MSRLCV48.....	23	PD222.....	98	WO853.....	266
CH5072.....	173	DM205.....	87	MSRLCV78.....	23	PD223.....	121	WO854.....	264
CH5073.....	173	DM206.....	85	MSRLSP32.....	23	PD224.....	121	WS038.....	197
CH5077.....	173	DP173.....	91	MSRLSP48.....	23	PD227.....	236	WS043.....	197
CH510.....	163	DS217.....	88	MSWAD.....	44, 66	PD632.....	101	WS101.....	191
CH512.....	163	DS218.....	88	PD038.....	130	PL201.....	46, 61	WS102.....	183
CH513.....	161	EJTRKADP1.....	67	PD043.....	126	PL202.....	46, 61	WS104.....	187
CH514.....	161	HL201.....	49	PD063.....	131	PL206.....	46, 61	WS105.....	199
CH515.....	16, 166	HL202.....	49	PD065.....	129	PLARC200.....	45	WS110.....	181
CH516.....	15, 166	HL203.....	49	PD091.....	129	PLHL200.....	48	WS111.....	183
CL157A.....	253	HL204.....	49	PD101.....	149	PLTEL200.....	45	WS116.....	217
CL157B.....	253	HL205.....	49	PD102.....	119	PWE60NL.....	257	WS128.....	189
CL179.....	253	HL206.....	49	PD103.....	103	PWE75SS.....	257	WS129.....	201
CL501.....	248	LEDCHNALUCRN.....	280	PD104.....	149	PWECBL300DSN.....	56	WS132.....	213
CL502.....	249	LEDCHNRSL15.....	280	PD105.....	110	PWERM150D.....	33, 43	WS132.....	213
CL503.....	244	LEDCHNRSL7.....	280	PD107.....	152	PWERM300D.....	33, 43	WS151.....	185
CL504.....	243	LEDMODRGB.....	282	PD109.....	147	PWERM60.....	33	WS152.....	191
CL505.....	243	LEDTPCONRGBCL.....	283	PD110.....	107	PWERM60D.....	32, 43	WS155.....	182
CL506.....	247	LEDTPCONRGBJP.....	283	PD111.....	111	PWESMT100MINI.....	31	WS156.....	199
CL507.....	247	LEDTPCONRGBL.....	283	PD116.....	155	PWESMT150.....	30	WS157A.....	215
CL508.....	247	LEDTPCONRGBPW.....	283	PD118.....	136	PWESMT300.....	30	WS157B.....	215
CL510.....	252	LEDTPCONRGBSP.....	283	PD118.....	233	PWESMT300MINI.....	31	WS172A.....	195
CL515.....	247	LEDTPCONRGBT.....	283	PD128.....	118	PWESMT60LED.....	30	WS172B.....	195
CPEJRN1.....	67	LEDTPCONRGBX.....	283	PD129.....	105	PWLEDTP12100.....	279	WS174.....	181
CPEJRN13.....	68	LEDTPCONWCL.....	278	PD131.....	117	PWLEDTP12200.....	279	WS177.....	217
CPEJRN2.....	67	LEDTPCONWJP.....	278	PD132.....	116	PWLEDTP12400.....	279	WS179.....	214
CPEJRN3.....	68	LEDTPCONWL.....	278	PD133.....	147	PWLEDTP1260.....	279	WS181.....	201
CPEJRN5.....	68	LEDTPCONWPW.....	278	PD134.....	98	PWLEDTP24100.....	279	WS184.....	205
CPEJRN7.....	68	LEDTPCONWSP.....	278	PD151.....	97	PWLEDTP24200.....	279	WS187.....	9
CPEJRND.....	67	LEDTPCONWT.....	278	PD153.....	229	PWLEDTP24400.....	279	WS187.....	12
CPEJSQ1.....	67	LEDTPCONWX.....	278	PD154.....	108	PWLEDTP2460.....	279	WS191.....	190
CPEJSQ25.....	68	LEDTPCW12W.....	278	PD155.....	94	PWMRM150.....	33, 43, 56	WS203.....	207
CPLVRN13.....	239	LEDTPCW24W.....	278	PD156.....	127	PWMRM300.....	33, 43, 56	WS205.....	206
CPLVRN3.....	239	LEDTPRGB12.....	282	PD157A.....	236	PWMRM60.....	33, 43, 56	WS207.....	205
CPLVRN5.....	239	LEDTPRGB24.....	282	PD157B.....	237	PWMRM600.....	43, 56	WS217.....	206
CPLVRN7.....	239	LEDTPRMTCON.....	282	PD158.....	115	PWMSMT150.....	30	WS218.....	207
CPLVSQ25.....	239	LEDTPWHDIM.....	280	PD159.....	153	PWMSMT300.....	30	WS221.....	187
CSCBLADJ12SN.....	55	LEDTPWHDIM.....	282	PD164.....	146	PWMSMT600.....	30	WS222.....	185
CSCBLBARE.....	54	LEDTPWW12W.....	278	PD165.....	97	PWPLGIN1230.....	279	WS223.....	196
CSCBLINS.....	54	LEDTPWW24W.....	278	PD166.....	141	PWPLGIN1260.....	279	WS224.....	196
CSCNISO.....	55	MRRC4836LED.....	223	PD167.....	232	PWSLM15.....	257	WS225.....	208
CSCNSSN.....	55	MRRC4836LEDRGB.....	225	PD172.....	145	SL600.....	257	WS226.....	211
CSCPRIGDUSN.....	56	MRRD28LED.....	224	PD173.....	133	SLCBLSPT.....	257	WS227.....	215
CSCPRIGSN.....	56	MRRD28LEDRGB.....	225	PD174.....	141	SLSLVSS.....	257	WS229A.....	193
CSCPSFTDUSN.....	56	MSCAPS.....	28, 42	PD175.....	109	WB063.....	216	WS229B.....	193
CSCPSFTSN.....	56	MSCBLADJ.....	28	PD177.....	155	WB065.....	216	WS230.....	214
CSEJADPSN.....	55, 66	MSCNADJ.....	27, 41	PD178.....	124	WB134.....	216	WS232.....	178
CSTRNBCKL.....	54	MSCNISO.....	27, 42	PD179.....	237	WB200.....	45	WS233.....	179
DA200.....	77	MSCNL.....	27	PD180.....	145	WB221.....	216	WS234.....	209
DA201.....	73	MSCNS.....	27, 42	PD181.....	119	WB222.....	216	WS236.....	213
DA202.....	75	MSCNT.....	28	PD182.....	100	WO800.....	262	WS237.....	209
DA203.....	77	MSCNX.....	28	PD182.....	230	WO801.....	263	WSF200.....	202
DA205.....	73	MSCPDIR1.....	34	PD183.....	135	WO802.....	263	WSF203.....	203
DA206.....	75	MSCPDIR2.....	34	PD184.....	146	WO803.....	261	WSF205.....	203
DB200.....	81	MSCPDIRDU1.....	34	PD185.....	139	WO804.....	261	WSF217.....	204
DB201.....	81	MSCPDIRDU2.....	34	PD185.....	235	WO805.....	272	WSF218.....	204
DB202.....	83	MSCPRMT1.....	34	PD186.....	137	WO807.....	267		
DB204.....	80	MSCPRMT2.....	34	PD186.....	229	WO808.....	273		



Photography Michael Myers, O. Tavoli.

Graphic Design L.D.G. Jorge Lizarraga, L.D.G. Laura Navarro



Corporate Office ■
2630 Flossmoor Road
Suite 102
Flossmoor, IL 60422-1560
Phone: (312) 240-0400
Fax: (866) 300-9283

Production / Shipping Facility ■
1500 Cherry St. Unit W
Louisville, CO 80027

info@stonelighting.net

stonelighting.net